

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010706/24010437
Fax: 24023516
Website: <http://mpcb.gov.in>
Email: cac-cell@mpcb.gov.in



Kalpataru Point, 2nd and
4th floor, Opp. Cine Planet
Cinema, Near Sion Circle,
Sion (E), Mumbai-400022

RED/L.S.I

Date: 28/12/2023

No:- Format1.0/CC/UAN No.0000166952/CO/2312002762

To,
Suretech Hospital and Research Centre Limited
120/2K, Mouja Jamtha, Post Rui,
NH No. 7, Ashokvan, Wardha Road,
Nagpur - 441 108.
Email: suretechhospitaljamtha@gmail.com
Contact No.: 9922999360



Your Service is Our Duty

Renewal of Combined Consent to Operate and BMW Authorization (CCA) under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.

- Ref:**
1. Your CCA application for grant of renewal of Combined Consent to Operate and BMW Authorization (CCA) received to MPCB, HQ, Sion, Mumbai on 24.05.2023.
 2. This office email dated 01.06.2023.
 3. Minutes of 12th Consent Committee Meeting of 2023-24 held on 02.08.2023.
 4. This office email dated 28.08.2023.
 5. Required information uploaded by you on 11.09.2023 & 13.09.2023.
 6. Additional information submitted by you on 13.10.2023 & 19.10.2023
 7. Information of Bank Guarantee uploaded by you on 01.11.2023.

After examining the proposal, The Maharashtra Pollution Control Board hereby grant 1st operate Combined Consent and BMW Authorization to HCE under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedule(I-IV) and Annexure (I-II)** enclosed in this order.

1. This CCA shall be in force for a period From **01-04-2023** To **31-03-2026**
2. The capital investment of the HCF is **₹1718.86** Lakhs (As per C.A Certificate Submitted by HCF)
3. HCF Area: - Plot Area 8100.00 M² with Built-up area 1892.00 M².

4. Activities Included

a. Total Number of Beds : **150 Nos.** (As per BNH certificate no. 028 valid upto 31-03-2025)

- I. General Beds : **75 Nos**
- II. ICU/ICU Beds : **22 Nos**
- III. Operation Theatre : **3 Nos**
- IV. Other Beds : **50 Nos**

5. Conditions under the Water (P&CP) Act, 1974:-

1. Quantity of total water consumption shall not exceed 62 M³/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.
2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in **Annexure-I**
3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.

6. Conditions under the Air (P&CP) Act,1981:-

1. You shall use the fuel for DG set as specified in the **Annexure-II**.
2. You shall provide adequate emission control system to DG set as specified in **Annexure-II**.
3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per **Annexure-II**.

7. Conditions under Hazardous and Other Wastes(Management, Handling & Transboundry Movement) Rules, 2016 for treatment and disposal of hazardous waste:-

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.

| Sr No | Type of Waste | HW Category no. | Quantity | UOM | Disposal |
|-------|-------------------|-----------------|---------------|-----|------------------------|
| 1 | Biological Sludge | | As per Actual | | For gardening & manure |

8. Conditions under Solid Waste Management rules 2016

1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
2. You shall Not mix general solid waste with Bio Medical Waste.

9. Conditions under BMW Management rules, 2016 (As Amended):-

1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
2. You shall segregate and handover BMW to BMW T&D CTF **Superb Hygienic Disposals, Nagpur** Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on www.cpcb.nic.in along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.

4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" (www.cpcb.nic.in).
10. You shall not undertake Modifications/ Upgradation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.
11. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.
12. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.
13. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.
14. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.
15. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
16. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
17. Bank Guarantee of Rs 50,000/- towards providing separate BMW storage arrangements is not as per CPCB guidelines. Hence Bank Guarantee of Rs 50,000/- is eligible to forfeit. You shall submit double Bank Guarantee of Rs 1.00 lakhs and shall submit Bank Guarantee of Rs. 1.0 lakh for upgradation of existing Sewage Treatment Plant to Regional Officer, Nagpur within 15 days.
18. You shall submit the Bank Guarantee of Rs 3.50 lakhs towards compliance of conditions as specified in Schedule III to The Regional Officer, MPCB, Nagpur within 30 days. Non submission of Bank Guarantee in specified time shall attract revocation of this CCA without further notice.
19. You shall submit provide separate BMW storage arrangements is not as per CPCB guidelines and upgrade existing Sewage Treatment Plant within THREE months without fail; failing which Board shall initiate necessary actions.
20. You shall submit compliance of Bank Guarantee conditions every six months to Regional Officer, Nagpur for verification purpose.



e7d6bfd9
129c93c4
8e5b9353
22b42bfc
ddc6d276
eacfd684
b31f789a
157d84f5

Signed by: **Dr. Avinash Dhakne**
Member Secretary
For and on behalf of,
Maharashtra Pollution Control Board
ms@mpcb.gov.in
2023-12-28 20:17:52 IST

Received Consent/Authorization fee of -

| Sr.No | Amount(Rs.) | Transaction/DR.No. | Date | Transaction Type |
|--------------|--------------------|---------------------------|-------------|-------------------------|
| 1 | 250000.00 | TXN2303005161 | 30/03/2023 | Online Payment |
| 2 | 15000.00 | TXN2305003211 | 23/05/2023 | Online Payment |

You have submitted Consent fees of Rs. 2,65,000 /- . For renewal of CCA , Consent fee with increase in Capital Investment of Rs. 1,51,500 is considered and remaining fees of Rs. 1,13,050/- will be considered at the time of next application.

Copy to:

1. Regional Officer, MPCB, Nagpur and Sub-Regional Officer, MPCB, Nagpur II
2. Cheif Accounts Officer, MPCB,Sion, Mumbai
3. I/C EIC- for record & website updating purpose.



Conditions under Water (P & CP), 1974 Act: (Refer Condition No. 5)

A. Water Consumption Details:-

| Sr. No. | Purpose for water consumed | Water consumption quantity (CMD) |
|----------------|--|---|
| 1. | Industrial Cooling, spraying in mine pits or boiler feed | 0.00 |
| 2. | Domestic purpose | 56.00 |
| 3. | Processing whereby water gets polluted & pollutants are easily biodegradable | 6.00 |
| 4. | Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic | 0.00 |
| 5. | Other such as agriculture, gardening, etc. | 0.00 |

B. Conditions for Sewage & Effluent Generation, Treatment and Disposal:-

| Sr. No. | Description | Permitted quantity of discharge (CMD) | Standards to be achieved | Disposal |
|----------------|--------------------|--|---------------------------------|---|
| 1 | Domestic Sewage | 40 | As per clause 'C' | 100% Recycle & reuse for cleaning, washing, flushing and gardening purpose. |
| 2 | Trade effluent | 5 | As per clause 'C' | 100% Recycle |

C. You shall operate the combined waste water treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle treated effluent after achieving standard prescribed below.

| Sr. No. | Parameters | Discharge Standards applicable |
|----------------|------------------------|--|
| | | Limiting Concentration in mg/except for pH |
| 1 | pH | 6.5-9.0 |
| 2 | Oil & Grease | 10 |
| 3 | BOD (3 days 27°C) | 30 |
| 4 | COD | 250 |
| 5 | Total Suspended Solids | 100 |
| 6 | Bio-Assay Test | 90 % survival of fish after 96 hours in 100 % effluent |

D. You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.

E. You shall provide Primary/ Secondary/ tertiary treatment system and disinfection facility.

F. The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.

G. You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.

Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)

1. You shall observe following fuel pattern and erect following stack (s):

| Sr. No. | Stack Attached to | Fuel Type | Quantity | Stack Height (Mtr) |
|----------------|--------------------------|------------------|-----------------|---------------------------|
| 1 | DG set 160 KVA | Diesel | 20.00 Lit/Day | 3.00 |

2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).
4. Conditions for D.G. Set:-
- Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
 - Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - D.G. Set shall be operated only in case of power failure.
 - The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.
5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

Authorization for Management of Bio-Medical Waste (Category and Quantity)

The authorization is granted for Generation and Segregation of BioMedical Waste (BMW) in waste categories and quantities listed here in below:

| Sr. No | Category | Type of Waste | Quantity not to exceed (Kg/Month) | Segregation Colour coding | Treatment & Disposal |
|--------|---------------------|---|-----------------------------------|--|---|
| 1 | Yellow | a) Human Anatomical waste | 180.00 | Yellow coloured non- chlorinated plastic bags. | Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygienic Disposals, Nagpur Nagpur |
| | | b) Animal Anatomical Waste | 0.00 | | |
| | | c) Soiled Waste | 425.00 | | |
| | | d) Expired or Discarded Medicines | 15.00 | | |
| | | e) Chemical Waste | 0.00 | | |
| | | f) Chemical Liquid Waste | 0.00 | Separate collection system leading to effluent treatment system. | |
| | | g) Discarded linen, mattresses, beddings contaminated with blood or body fluid. | 20.00 | Yellow coloured non - chlorinated plastic bags or suitable packing material. | |
| | | h) Microbiology Biotechnology and other clinical laboratory waste | 15.00 | Autoclave safe plastic bags or containers. | |
| 2 | Red | Contaminated waste (Recyclable) | 520.00 | Red coloured non chlorinated plastic bags or containers. | Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygienic Disposals, Nagpur Nagpur |
| 3 | White (Translucent) | Waste sharps including Metals | 30.00 | Puncture proof, Leak proof, tamper proof container. | Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygienic Disposals, Nagpur Nagpur |
| 4 | Blue | a) Glassware | 45.00 | Puncture proof, Leak proof with Blue coloured marking. | Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygienic Disposals, Nagpur Nagpur |
| | | b) Metallic body implants | 15.00 | | |

Responsibilities of CBWTF

1. You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical waste treatment and Disposal facility **Superb Hygienic Disposals, Nagpur** and maintain records thereof for 5 years.
2. You shall establish bar code for handling of bio-medical waste.
3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016
4. You shall not store Bio Medical waste beyond 48 hours from the generation.
5. You shall use only non-chlorinated plastic coloured bags.
6. You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
7. You shall not mix General/other Solid waste with Bio Medical Waste.
8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
9. You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
11. You shall handover Plastic / Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of bio-medical wastes.
18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Nagpur and uploading the same to MPCB Portal (<https://www.ecmpcb.in/>).

Bank Guarantees

1. Bank Guarantee imposed to ensure timely compliance, to be observed by operator.

| Sr.No | Activity / Condition to be Complied | Compliance Timeline (Months) | Bank Guarantee Amount |
|--------------|--|-------------------------------------|------------------------------|
| 1A | Operation and Maintenance | | |
| 1 | To Segregate and Handle BMW as per Schedule I | Continuous | 50,000.00 |
| 2 | Towards Operation and Maintenance of STP/ETP to achieve prescribed discharge standards | Continuous | 50,000.00 |
| 1B | Records | | |
| 1 | To Maintain records of BMW and submission of Annual Report for preceding calendar year in Form -IV before 30th June every year | Continuous | 25,000.00 |
| 2 | To maintain records of BMW handed over to CBMWTFD | Continuous | 25,000.00 |
| 2 | Performance | | |
| 1 | To provide BMW separate storage facility as per guidelines of CPCB | Three | 100,000.00 |
| 2 | To upgrade existing Sewage treatment Plant upto adequate capacity to treat sewage generate from hospital for 150 beds. | Three. | 100,000.00 |
| Total | | | 3,50,000.00 |

Note: You shall extend the existing submitted Bank Guarantee for the Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional. Submit a fresh Bank Guarantee for the newly added Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional.

General Conditions**The following general conditions shall apply:-**

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Nagpur.
6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended.

14. You shall submit an official e-mail address and any change will be duly informed to the MPCB.
15. You shall observe provisions of E-waste (Management) Rules 2016 & as amended time to time and Batteries (Management and Handling) Amendment Rules, 2010.
16. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
17. In case you use/ handle/ generate the cytotoxic waste you shall strictly adhere to the standards/ SOPs applicable and waste shall be labelled specifically as "Cytotoxic Waste" with symbol on waste containers/ bags and shall handover to BMW CTFs.
18. You shall obtain required permissions from competent authority for radio active material user/ handling/ disposal of waste before commencement of such activity.
19. The Energy source for lighting purpose shall preferably be LED based.
20. You shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
21. You shall provide personal protection equipment as per norms of Factory Act 1948
22. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 60 days of expiry.

This certificate is digitally & electronically signed.





Application for Consent/ Authorisation

Sir,
I/We hereby apply for*

1. Consent to Establish/Operate/Renewal of consent under section 25 and 26 of the Water (Prevention & Control of Pollution) Act, 1974 as amended.
2. Consent to Establish/Operate/Renewal of consent under Section 21 of the Air (Prevention and Control of Pollution) Act, 1981, as amended.
3. Authorization/renewal of authorization under Bio-Medical Wastes Management Rules, 2016 as amended, Hazardous waste (M,& TM)n Rules, 2016, in connection with my/our/existing/proposed activity from the premises as per the details given below.

1.General Information

UAN No: MPCB-CONSENT-0000211261 **Application submitted on:** 30-05-2024

Industry Information

Industry Type: O88 Health-care Establishment (as defined in BMW Rules) **Category:** Orange **Scale:** S.S.I

Consent To: Operate (Plain Renewal) **Submit to:** SRO - Nagpur I

Consent to Establish Details

| Consent to Establish No. | Consent to Establish date | Consent to Establish Valid Upto |
|----------------------------------|----------------------------------|--|
| | 01-01-1970 | 01-01-1970 |
| Previous Consent No. | Previous Consent date | Previous Consent Valid Upto |
| RO- Nagpur/BMW_Auth/210700026 | 02-07-2021 | 04-06-2024 |

Perticulars of Applicant (Owner/Occupier/Any other Authorised Person)

| | | | |
|-------------------|---|----------------------------|--------------------|
| First Name | Father / Husband Name | Last Name | Designation |
| Mr. Rajendra | Ganpat | Deshmukh | CHAIRMAN AND MD |
| Mobile No | Telephone/Fax | Email | Aadhar No |
| 9822465988 | | suretechhospital@gmail.com | 577879483821 |
| PAN No | Address | Pin Code | |
| AACCS5295A | 13 A BANNERJEE MARG, DHANTOLI, DIST. NAGPUR | 440012 | |

2. Health Care Facility (HCF) Information

a) Name of the Health Care Facility

Suretech Hospital &
Research Centre Ltd.

b) Address for Correspondance

| | | |
|-----------------------|-----------------------------------|--------------------|
| Pin Code | District | City/Town |
| 440012 | Nagpur | Nagpur (Urban) |
| Survey/Gut No. | Name of premises /Building | Road/Street |
| 13-A | BANNERJEE MARG, DHANTOLI | Nagpur |
| Area/Locality | Email | Website URL |
| Dhantoli | suretechhospital@gmail.com | https://shrcl.in/ |

c) Details of Contact Person

| | | | |
|-----------------------------------|--------------------|----------------------------|--------------------|
| Name of the contact person | Contact No. | Email | Designation |
| Rajendra Ganpat Deshmukh | 9822465988 | suretechhospital@gmail.com | CHAIRMAN AND MD |

d) Onwership of Facility

Private (Registered under company Act)

e) Month and year of commissioning of the HCF

01/08/1998

f) Area of the Facility / Hospital

| | | |
|---|--|-------------------------------------|
| i) Total plot area (in square meter) | ii) Built up area (in square meter) | iii) Open Plot Area (Sq.Mtr) |
| 836.42 | 816.42 | 20.00 |

g) Enter Latitude and Longitude of site (In degrees)

| | |
|------------------------------|-------------------------------|
| Latitude (In degrees) | Longitude (In degrees) |
| 21.14142 | 79.07449 |

h) Gross capital investment of the HCF/CBWF without depreciation till the date of application (Cost of building, land, plant and machinery). (To be supported by certificate from Chartered Accountant / Balance sheet)

CA Certificate

| Sr. No. | Fixed Assets | Amount (in lakh) |
|---------|---|------------------|
| 1 | Land | 35.8200 |
| 2 | Building / Premises | 33.0100 |
| 3 | Plant & Machinery / Equipment | 581.7700 |
| 4 | Furniture / Fixture | 8.2400 |
| 5 | Any other movable / immovable fixed assets (Please specify) | |
| 5.a | Office Equipment | 5.7000 |
| 5.b | Vehicle | 9.1000 |
| 5.c | Computer | 1.7000 |
| 5.d | NA | NA |
| 5.e | NA | NA |
| 6 | Capital Work in Progress (if any) | NA |

| | |
|--------------------------------|-------------------------|
| Gross Capital (in Lakh) | Certificate Date |
| 675.34 (Lakh) | 22-05-2024 |

i) Compliance of Location Criteria

| Location of facility | Whether it is notified industrial area | Land Use Type | Land Ownership |
|--|---|--------------------------|-----------------------|
| Urban | No | Residential & Commercial | Self Owned |
| j) Does HCF have Laundry facility in premises | | No | |
| k) Does HCF have Canteen/Cafeteria facility in premises | | No | |
| l) Does HCF have Hostel/Residential quarters in premises | | No | |

m) Number of Patient Treated per Day

OPD (Average Patient / Day) IPD / Admitted (Average Patient / Day)

50 20

n) Name of the local body under whose jurisdiction the HCF is located.

ULB Type

Municipal Corporation

ULB Name

Nagpur Municipal Corporation

o) Details of the planning permission obtained from the local body/Town and Country Planning authority/Metropolitan Development authority/ designated Authority

Planning Authority

NMC

Planning permission

Occupancy Certificate

3. BMW Authorization Details

a) Discipline of Medicine

Medicine

b) Bombay Nursing Home Registration Details

| Total number of Beds | BNH Registration Number | Valid Upto | First Issued Date |
|-----------------------------|--------------------------------|-------------------|--------------------------|
| 50 | 400 | 31-03-2025 | 01-08-1997 |

Certificate issuing Authority

Medical Officer or Health Officer of Municipal Corporation

Total Bed Break up

| General Beds | ICCU/ICU Beds | Maternity Beds | Operation Theatre | Oncology Beds | Other Beds |
|---------------------|----------------------|-----------------------|--------------------------|----------------------|-------------------|
| 20 | 20 | | 3 | 3 | 4 |

c) Diagnostic and Pharma Facilities available in Premises

| | |
|---------------------------------|----|
| Pathology Lab | No |
| Blood Bank | No |
| X-Ray | No |
| CT Scan | No |
| MRI | No |
| USG | No |
| ECG/EEG | No |
| Medical Store / Pharmacy | No |
| Other | No |

d) Whether HCE intended to Sale / Handover liquid BMW for R&D purpose

No

| Category wise Bio-Medical Waste Collected ,Treated,Disposed | | | |
|---|---------------------|---|-------------------------------|
| Sr. No | Category | Type of Waste | Quantity not to exceed (Kg/M) |
| 1 | Yellow | a) Human Anatomical waste | 21.00 |
| | | b) Animal Anatomical Waste | 0 |
| | | c) Soiled Waste | 90.00 |
| | | d) Expired or Discarded Medicines | 3.00 |
| | | e) Chemical Waste | 120.00 |
| | | f) Chemical Liquid Waste | 0 |
| | | g) Discarded linen, mattresses, beddings contaminated with blood or body fluid. | 0 |
| | | h) Microbiology Biotechnology and other clinical laboratory waste | 15.00 |
| 2 | Red | Contaminated waste (Recyclable) | 30.00 |
| 3 | White (Translucent) | Waste sharps including Metals | 36.00 |
| 4 | Blue | a. Glassware | 0 |
| | | b. Metallic body implants | 0 |

| Details of Storage at Facility | | | | | | |
|--------------------------------|---------------|----------|------------------------|------------|-------------|------------------------------------|
| Sr No | Type | Category | Temporary Storage Area | | | Avg. No.of Bag/Container (Per Day) |
| | | | Length (Ft) | Width (Ft) | Height (Ft) | |
| 1 | Untreated BMW | Yellow | 1.00 | 1.00 | 1.00 | 1.00 |
| | | Red | 1.00 | 1.00 | 1.00 | 1.00 |
| | | Blue | 1.00 | 1.00 | 1.00 | 1.00 |
| | | White | 1.00 | 1.00 | 1.00 | 1.00 |

Do you Have Equipment Installed for Pretreatment of Yellow (g), (h) Category Waste

No

Whether you have establish a Bar-Code system for Bag or Containers containing Bio-Medical waste

No

Common Facility Membership Details (CTF)

CTF Name

M/s. M/s. Superb Hygiene Disposals, Nagpur

Membership Number

NGHP0589

Issued Date

31-12-2024

Do you have Captive Treatment

No

4.Consent Details

a) Sources of Water

i) Surface Water

Yes

Name of the water supply **Water Consumption Quantity (CMD)**

NMC

32

ii) Ground Water No

iii) Tanker Water No

b) Water Consumption Details

Raw Water (CMD)

Recycle Water (CMD)

Total Water Quantity Requirement (CMD)

32

32

c) Water consumption for different uses (CMD)

| Purpose | Consumption | Effluent Generation | Treatment | Disposal |
|--|-------------|---------------------|-----------|-----------------------|
| Domestic Purpose | 30 | 24 | STP | Local Bodies Sewer |
| Processing whereby water gets Polluted & Pollutants are Biodegradable | 2 | 1 | ETP | On Land For Gardening |
| Processing whereby Water gets Polluted, Pollutants are not Biodegradable & Toxic | 0 | 0 | ETP | Local Bodies Sewer |
| Industrial Cooling, spraying in mine pits or boiler feed | 0 | 0 | ETP | Local Bodies Sewer |
| Total | 32.00 | 25.00 | | |

d) Waste Waster Treatment

Have you installed STP or ETP

Yes

1. Sewage Treatment Plant: No

2. Effluent Treatment Plant: No

3. Combined Treatment Plant: Yes

Combine Treatment Plant

Capacity(CMD)

25

Preliminary: No Preliminary Treatment:

Primary: Yes Primary Treatment: Primary Clarifier / Settling

Secondary: No Secondary Treatment:

Tertiary No Tertiary Treatment:

Advance: No Advance Treatment:

e) Other waste generation details

1) Municipal Solid Waste

a) Biodegradable Waste(kg/day) b) Recyclable Waste(kg/day) c) Domestic Hazardous Waste(kg/day)

0 0 0

2) E-Waste (Kg/Annum) 0

3) Plastic Waste (Kg/Annum) 0

4) Hazardous Waste (Kg/Annum) 0

| Effluent Analysis result (As per latest report) | | | | |
|---|------------------------------------|-------------------------|------------|------------|
| Parameter | Permissible Limiting concentration | Latest 3 Sampling Dates | | |
| | | 1st Date | 2nd Date | 3rd Date |
| | | 30-05-2024 | 30-05-2024 | 30-05-2024 |
| pH | 6.5 - 9.0 | 0 | 0 | 0 |
| Oil and Grease (mg/l) | 10 | 0 | 0 | 0 |
| BOD (mg/l) | 30 | 0 | 0 | 0 |

| | | | | |
|----------------|--|---|---|---|
| COD (mg/l) | 250 | 0 | 0 | 0 |
| TSS (mg/l) | 100 | 0 | 0 | 0 |
| Bio-Assay Test | 90 % survival of fish after 96 hours in 100 % effluent | 0 | 0 | 0 |

Air Pollution

Whether D.G. Set Installed

Yes

| Capacity(KVA) | Make | Fuel Used | Fuel QTY | Unit | Stack Height in meter | Accoustic Enclosure for noise control |
|---------------|--------|-----------|----------|---------|-----------------------|---------------------------------------|
| 380 | DG Set | Diesel | 90.00 | Ltr/day | 5.00 | NO |

Do you have Boiler Installed

No

| Make | Model | Combustion efficiency | Fuel Type | Qty | Shape (round/rectangular) |
|------|-------|-----------------------|-----------|-----|---------------------------|
|------|-------|-----------------------|-----------|-----|---------------------------|

Do you have adequate facility for collection of samples of emissions in the form of port holes, platform, ladder\etc. As per Central Board Publication "Emission regulations Part-III" (December, 1985)

Port hole

No

Platform

No

Ladder

No

| Parameter | Permissible Limiting concentration | Latest 3 Sampling Dates | | |
|--------------------------|------------------------------------|-------------------------|----------|----------|
| | | 1st Date | 2nd Date | 3rd Date |
| | | NA | NA | NA |
| Particulate matter | 50 mg/Nm3 | 0 | 0 | 0 |
| Nitrogen oxides | 400 mg/Nm3 | 0 | 0 | 0 |
| HCL | 50 mg/Nm3 | 0 | 0 | 0 |
| Total Dioxins and Furans | 0.1 ng TEQ/Nm3 (at 11% O2) | 0 | 0 | 0 |
| Hg and its compounds | 0.05 mg/Nm3 | 0 | 0 | 0 |

Whether you have provided Online Continuous Emission Monitoring Systems (OCEMS)

No

Quantity of ash generated from Boiler (Tonnes/ month):

Mode of Disposal of Boiler ash

Provision Of Alternate Electric Supply

No

Separate Electricity Meter Provided to Pollution control Devices

No

Hazardous Waste

CHWSDF Details

CHWTDF Facility Name

NA

CHWTDF Membership Number

0

| |
|--------------------------------|
| Hazardous Waste Details |
|--------------------------------|

| Description | Waste Category | Quantity in MT/Month |
|------------------|----------------|----------------------|
| Incineration Ash | 37.3 | 0 |
| STP/ETP | 35.3 | 0 |
| Used Oil | | 0 |

| Non-Hazardous Waste aspect | | | | | |
|----------------------------|----------|-----|-----------|-----------|---------|
| Description | Quantity | UOM | Treatment | Treatment | Remarks |

| Legal Section | | | | |
|-------------------|---------------------|-------------------|----------------------|---------|
| Legal Action Type | Legal Action Ref No | Legal Action Date | Legal Action Details | Remarks |
| NA | NA | 01-01-1970 | NA | NA |

5. Additional Information

Do you have Bio Medical Waste Management Committee Constituted

No

Average Cost (O & M) for ETP/STP

Average Cost of APCD Rs/Year

Brief details of tree plantation/green belt development within applicant's premises

Open Space Availability Plantation Done On Number of Trees Planted

Whether Environmental Statement submitted

No

Environmental Statement submitted Date

01-01-1970

Any other additional information that the applicants desires to give

Do you have Infection Control Committee Constituted

No

6. Financial Details

Is there any Bank Gurantee impose on you during previous Consent/Authorization period.

Yes

| Bank Gurantee Number | Date | Valid Up To | Amount | Bank Name | Branch |
|----------------------|------------|-------------|-----------|---------------------|--------|
| 36600IGL0008623 | 13-10-2023 | 29/10/2028 | 150000.00 | Union Bank of India | Nagpur |

| Additional Bank Gurantee Details, if Any | | | | | |
|--|------------|-------------|--------|-----------|--------|
| Bank Gurantee Number | Date | Valid Up To | Amount | Bank Name | Branch |
| 0 | 01-01-1970 | NA | 0 | NA | NA |