

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010706/24010437
Fax: 24023516
Website: <http://mpcb.gov.in>
Email: cac-cell@mpcb.gov.in



Kalpataru Point, 2nd and
4th floor, Opp. Cine Planet
Cinema, Near Slon Circle,
Slon (E), Mumbai-400022

RED/L.S.I

No:- Format1.0/CAC/UAN No.0000080871/CO - 2103001256

Date: 22/03/2021

To,
Datta Meghe Medical College & Research Centre and
Shalinital Meghe Hospital
Khasra no. 245 and 246,,Khasra no. 245 and 246,
Wanadongri,
Tal-Hingan, Dist-Nagpur



Sub: Combined Consent and BMW Authorization

Ref: 1. Combine Consent to Establish and Bio-Medical Authorization granted by the Board vide no. BO/UAN No.74205/CAC-1908000433 Dated 16.08.2019
2. The minutes of Consent Appraisal Committee meeting dated 02 & 05.02.2021

Combined Consent to Operate and BMW Authorization.

For: Under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 6 of the Hazardous & Other Wastes (Management & Transboundary Movement) Rules 2016 and Bio-Medical Waste Management Rules, 2016 and amendment thereof is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

1. The Combined Consent to Operate and BMW authorization is granted upto: 30.09.2024
2. The capital investment of the project is Rs.14.72 Crs. (As per C.A Certificate submitted by industry).
3. The Consent is valid for the Activity of

Sr No	Activity	Quantity	UOM
1)	Hospital		
a)	Beds	350	Nos
b)	Total Plot Area	64736.00	Sq.Mtrs
c)	Total Built up Area	12382.83	Sq.Mtrs

4. Conditions under Water (P&CP) Act, 1974 for discharge of effluent:

Sr No	Description	Permitted (in CMD)	Standards to Achieve	Disposal
1.	Trade effluent	2	As per Schedule - 1	Recycle up to maximum extent and remaining used on land for gardening / disposed in to sewerage system provided by Local body.