

**Maharashtra University of Health Sciences,
Nashik Inspection Committee Report for
Academic Year**

2026-2027

Clinical Material in Hospital

Name of College/Institute: SURETECH COLLEGE OF NURSING NAGPUR

Faculty: NURSING

HOSPITAL DETAILS

Sr. No.	Particulars to be verified	Particular	Adequate/ Inadequate
1	The Institute / College shall execute a MoU with any institute for affiliation of hospital in addition to minimum 100 bedded down/parent Hospital (Affiliated hospital must be 50 bedded or more.) To be made available on web site		ADEQUATE
a.	Whether Hospital is registered under any act under Local Authority such as Corporation, Municipality, Gram Panchayat etc.: Copy to be made available on web site		ADEQUATE
b.	Student Bed Ratio for UG & PG to be verified:(As per MSR) Calculate at Actual		
c.	Average Bed Occupancy in 90-95% : (Minimum 75%)		ADEQUATE
d.	Clinical facilities for PG to be verified:-(As per MSR)		
	(i) Whether OPD is functioning to be verified (ii) Total No of OPD (on the day of inspection) (iii) Average Number of patients attending OPD(current year) (iv) Average Number of Delivery (Current year) (v) Average Number of abnormal Delivery (Current year)		ADEQUATE
<ul style="list-style-type: none"> • As per Central Council Norms/ University Norms, above Infrastructure must be available at College. • If Infrastructure is available, then mark "Adequate" & do not attach any Documents it should be available on college website • In case of "Inadequate", it must be marked as "Inadequate" with evidence. To be submit to university with report 			

**Here we declare all relevant document uploaded are clear and visible on web site & are true as per my knowledge & Belief
Any Other, Please Specify:-**

Date:- 20/2/2026

Dean/Principal Stamp & Signature

PRINCIPAL
SURETECH COLLEGE OF NURSING
NAGPUR

SURETECH COLLEGE OF NURSING, NAGPUR

LIST OF PARENT HOSPITAL

Sr. No	Name Of Hospital	TOTAL Bed Strength	Parent
01	Suretech Hospital & Research Centre Ltd, Dhantoli, Nagpur	50	Parent
02	Suretech Hospital & Research Centre Ltd, Jamtha, Nagpur	150	Parent


PRINCIPAL
SURETECH COLLEGE OF NURSING
NAGPUR.

SURETECH COLLEGE OF NURSING, NAGPUR

LIST OF AFFILIATED HOSPITAL

Sr. No	Name Of Hospital	TOTAL Bed Strength	Affiliated
03	Rashtra Sant Tukdoji Regional Cancer Hopital & Research Center, Nagpur	100	Affiliated
04	Midas Hospital Nagpur	100	Affiliated
05	Mahatme Eye Bank Eye Hospital, Nagpur	100	Affiliated
06	Nelson Hospital Nagpur	100	Affiliated
07	Shalinitai Meghe, Hingana, Nagpur	895	Affiliated
08	New Health City Hopital, Nagpur	84	Affiliated
09	Treat Me Hospital, Nagpur	50	Affiliated
10	DMIHER'S AVBR HOSPITAL, SAWANGI MEGHE, WARDHA	1525	Affiliated
11	Shrikrishna Hrudayalay Hospital, Nagpur	50	Affiliated
12	Manas Hospital, Nagpur	100	Affiliated
13	Colours Hospital Nagpur	80	Affiliated
14	Matru Sewa Sangh Nagpur	30	Affiliated
15	Swami Vivekanand Medical Mission Nagpur	100	Affiliated
16	Treat Me Hospital Nagpur	50	Affiliated


PRINCIPAL
SURETECH COLLEGE OF NURSING
NAGPUR.

Information Concern about Parent Hospital

1. Is College of Nursing have parent/own/Affiliated hospital:- Parent Allopathic Hospital :- Multispeciality
2. Full Name of Parent/Own Hospital:-1) Suretech Hospital & Research Centre Ltd, Dhantoli, Nagpur 2) Suretech Hospital & Research Centre Ltd, Jamtha, Nagpur Owner of The Hospital:- Dr. Rajendra G. Deshmukh

PARENT HOSPITAL

{Attach separate sheet if required}

Sr. No	Name of hospital with address Contact no of Hospital Medical Superintendent or Authority Including Parent as well as Affiliated	TOTAL Bed Strength	Parent (P) /	TOTAL Bed occupancy on inspection day	% Bed Occupancy on inspection day	Distance from College/ Institute (Max 30 km & Hilly & Tribal 50 km)	Specialty Area	Is student actually posted if yes verify with document	*M.P.C.B CERT NO and date issue and valid till	*BMW CERT NO and date issue and valid till	*PC-PND CERT NO and date issue and valid till	M.O.U In notarized Date & Validity	BNHA no. & Valid till	Details on web site (YES/NO)	Remark
01	Suretech Hospital & Research Centre Ltd, Dhantoli, Nagpur	50	Parent (P)	50	100%	17 Km.	Multispeciality	Yes	Format I.0/ RO/UAN No. 000021126 1/CO/2410 001376 Date: 15/10/2024 Valid Date: 31/12/2034	Format I.0/ RO/UAN No. 000021126 1/CO/2410 001376 Date: 15/10/2024 Valid Date: 31/12/2034		1/1/2019 & 10 Days	400 & 31/3/2025	Yes	
02	Suretech Hospital & Research Centre Ltd, Jamtha, Nagpur	150	Parent (P)	120	80%	-	Multispeciality	Yes	Format I.0/ CC/UAN No. 000016695 2/CO/2312 002762 Date: 01/04/2023 Valid Date: 31/03/2026	Format I.0/ CC/UAN No. 000016695 2/CO/2312 002762 Date: 28/12/2023 Valid Date: 31/03/2026		1/1/2019 & 10 Days	28 & 31/3/2025	Yes	


 DR. RAJENDRA G. DESHMUKH
 SURETECH COLLEGE OF NURSING
 NAGPUR

AFFILIATED HOSPITAL

{Attach separate sheet if required}

Sr. No	Name of hospital with address Contact no of Hospital/Medical Superintendent or Authority Including Parent as well as Affiliated	TOTAL Bed Strength	Affiliated (A)	TOTAL Bed Occupancy on inspection day	% Bed Occupancy on inspection day	Distance from College/ Institute (Max 30 km & Hilly & Tribal 50 km)	Specialty Area	Is student actually posted if yes verify with document	*M.P.C.B CERT NO and date issue and valid till	*BMW CERT NO and date issue and valid till	*PC-PND CERT NO and date issue and valid till	M.O.U In notarized Date & Validity	BNHA no. & Valid till	Details on web site (YES/NO)	Remark
03	Rashtra Sant Tukdoji Regional Cancer Hopital & Research Center, Nagpur	100	Affiliated (A)	90	90%	19.2 Km.	Oncology	Yes	Format. 0/P SO/UAN No.0000216 147/CO/241 1000654 period From 31-08-2024 To 31-08-2026	Format. 0/PSO/U AN No.0000 216147/ CO/2411 000654 period From 31-08-2024 To 31-08-2026	-	-	No-754/1 - 4/2023 Valid : 31/03 /2026	Yes	
04	Midas Hospital Nagpur	100	Affiliated (A)	100	100%	5 Km.	Multispecialty	-	MPCB No. 23070014 41 Date 24/7/2023 to 23/7/2028	MPCB No. 230700 1441 Date 24/7/20 23 to 23/7/20 28	-	01/08/2024 01/08/2027	125 31/03 /2025	Yes	



PRINCIPAL
SURETECH COLLEGE OF NURSING
NAGPUR

Sr. No	Name of hospital with address Contact no of Hospital Medical Superintendent or Authority Including Parent as well as Affiliated	TOTAL Bed Strength	Affiliated (A)	TOTAL Bed Occupancy on inspection day	% Bed Occupancy on inspection day	Distance from College/ Institute (Max 30 km & Hilly & Tribal 50 km)	Specialty Area	Is student actually posted yes verify with document	*M.P.C.B CERT NO and date issue and valid till	*BMW CERT NO and date issue and valid till	*PC-PND CERT NO and date issue and valid till	M.O.U In notarized Date & Validity	BNHA no. & Valid till	Details on web site (YES/NO)	Remark
05	Mahatme Eye Bank Eye Hospital, Nagpur	100	Affiliated (A)	80	80%	13.6 Km.	Ophthalmology	Yes	Format 1.0/PSO/U AN No. 000020544 8/CO/2405 000660 Date : 8/5/2024 Valid Date: 4/6/2030	Format 1.0/PSO/UAN no. 000019489 5/CO/2407 01908 Date: 19/07/2024 Valid Date: 31/03/2026	-	-	437 Date: 31/03/2024	Yes	
06	Nelson Hospital Nagpur	100	Affiliated			15 km.	MCH	Yes	Format 1.0/PSO/UAN no. 000019489 5/CO/2407 001908 Date: 19/07/2024 Valid Date: 31/03/2026	Format 1.0/PSO/UAN no. 000019489 5/CO/2407 01908 Date: 19/07/2024 Valid Date: 31/03/2026	-	28/01/2026	Yes		

[Signature]
PRINCIPAL
SURESH COLLEGE OF NURSING
NAGPUR

Sr. No	Name of hospital with address Contact no of Hospital Medical Superintendent or Authority Including Parent as well as Affiliated	TOTAL Bed Strength	Affiliated (A)	TOTAL Bed Occupancy on inspection day	% Bed Occupancy on inspection day	Distance from College/ Institute (Max 30 km & Hilly & Tribal 50 km)	Specialty Area	Is student actually posted if yes verify with document	*M.P.C.B CERT NO and date issue and valid till	*BMW CERT NO and date issue and valid till	*PC-PND CERT NO and date issue and valid till	M.O.U In notarized Date & Validity	BNHA no. & Valid till	Details on web site (YES/NO)	Remark
07	Shalinitai Meghe, Hingana, Nagpur	895	Affiliated (A)	700	78%	18.9 Km.	Multispecialty	-	21030012 56 Date: 22/3/202 1 Valid: 30/9/2024	21030 01256 Date: 22/3/2021 Valid: 30/9/2024	-	-	193/2024 Valid : 31/3/2027	Yes	
08	New Health City Hospital, Nagpur	84	Affiliated (A)	70	83%	17.4 Km.	Pediatrics	Yes	Format:1.0/ PSO/UAN No.000017 2097/CO/2 309000380 Date: 09/04/2023 Valid Date : 9/4/2027	Format:1 .0/PSO/ UAN No.0000 172097/ CO/230 9000380 Date: 09/04/2023 Valid Date : 09/04/2027	-	Date: 13/6/2023 Valid : 5 Years	No. 1033 Valid : 31/3/2027	Yes	



Sr. No	Name of hospital with address Contact no of Hospital Medical Superintendent or Authority Including Parent as well as Affiliated	TOTAL Bed Strength	Affiliated (A)	TOTAL Bed Occupancy on inspection day	% Bed Occupancy on inspection day	Distance from College/ Institute (Max 30 km & Hilly & Tribal 50 km)	Specialty Area	Is student actually posted if yes verify with document	*M.P.C.B CERT NO and date issue and valid till	*BMW CERT NO and date issue and valid till	*PC-PND CERT NO and date issue and valid till	M.O.U In notarized Date & Validity	BNHA no. & Valid till	Details on web site (YES/NO)	Remark
09	Treat Me Hospital, Nagpur	50	Affiliated (A)	30	60%	16 Km.	Psychiatry	Yes	Format 1.0/RO/UA N No. MPCB-CONSENT 000017371 4/CO23110 00019 Date: 1/11/2023 Valid: 31/8/2025	Format 1.0/RO/UA AN No. MPCB-CONSENT T- 00001737 14/CO23 11000019 Date: 1/11/2023 Valid: 31/8/2025	-	Date : 5/12/2022 Valid: 5 Years	602/8 /5/20 03 Valid till 31/3/2027	Yes	
10	DMIHER'S AVBR HOSPITAL, SAWANGI MEGHE, WARDHA	1525	Affiliated (A)	1100	72%	60 Km.	Multispecialty		Format 1.0/ CAC/UAN AN No.MPCBC ONSENT- 0000145894/ CR/2212000 449 Date: 07/12/2022 Valid: 31.08.2023	Format 1.0/ CAC/UA AN No.MPC BCONSE NT- 000014589 4/CR/2212 000449 Date: 07/12/2022 Valid: 31.08.2023	-	Date: 3/5/2023 Valid 3 Year	31/03 /2026	Yes	


 PRINCIPAL
 SURETECH COLLEGE OF NURSING
 JAGPUR.

Sr. No	Name of hospital with address Contact no of Hospital Medical Superintendent or Authority Including Parent as well as Affiliated	TOTAL Bed Strength	Affiliated (A)	TOTAL Bed Occupancy on inspection day	% Bed Occupancy on inspection day	Distance from College/ Institute (Max 30 km & Hilly & Tribal 50 km)	Specialty Area	Is student actually posted if yes verify with document	*M.P.C.B CERT NO and date issue and valid till	*BMW CERT NO and date issue and valid till	*PC-PND CERT NO and date issue and valid till	M.O.U In notarized Date & Validity	BNHA no. & Valid till	Details on web site (YES/NO)	Remark
11	Shrikrishna Hirudyalay Hospital, Nagpur	50	Affiliated (A)	43	90%	15 Km.	Cardiovascular & Thoracic	-	22080005 01 Date: 11/8/2022 2 Valid: 31/5/2025	22080 00501 Date: 11/8/2022 Valid: 31/5/2025	-	-	Yes		
12	Manas Hospital, Nagpur	100	Affiliated (A)	60	60%	-	Psychiatry		Format 1.0/SRO/UAN No.0000171 891/CO/230 8000270 Date: 03/08/2023 Valid: 25-05-2023 To 30-06-2024	Format 1.0/SRO/UAN No.0000 171891/CO/2308 000270 Date: 03/08/2023 Valid: 25-05-2023 To 30-06-2024		MOU dated 8/6/2026	Date: 17/10/2023 Valid 31/03/2026	Yes	

[Handwritten Signature]

PRINCIPAL
SURETECH COLLEGE OF NURSING
NAGPUR.

Sr. No	Name of hospital with address Contact no of Hospital Medical Superintendent or Authority Including Parent as well as Affiliated	TOTAL Bed Strength	Affiliated (A)	TOTAL Bed Occupancy on inspection day	% Bed Occupancy on inspection day	Distance from College/ Institute (Max 30 km & Hilly & Tribal 50 km)	Specialty Area	Is student actually posted yes verify with document	*M.P.C.B CERT NO and date issue and valid till	*BMW CERT NO and date issue and valid till	*PC-PND CERT NO and date issue and valid till	M.O.U In notarized Date & Validity	BNHA no. & Valid till	Details on web site (YES/NO)	Remark
13	Colours Hospital Nagpur	80	Affiliated (A)		80%	15 Km.	Child Health/Paediatric	Yes	Format1.0/PSO/UA N No. 00001710 90/CO/23 07001457 Date: 24/07/202 3 Valid : 18/7/2025	Format1.0/R O/UAN No. 0000198778/ CO/2403002 400 Date: 22/03/2024 Valid : 28/02/2026		Date: 18/8/20 23 Valid 5 Years	185	Yes	
14	Matru Sewa Sangh Nagpur	30	Affiliated			15Km.	OBGY	Yes	Format1.0/RO/UAN No. 000019877 8/CO/2403 002400 Date: 22/03/2024 Valid : 28/02/2026	Format1.0/R O/UAN No. 0000198778/ CO/2403002 400 Date: 22/03/2024 Valid : 28/02/2026		Date: 03/02/2 024 Valid 3 years	185	Yes	

Principal
SURETEK COLLEGE OF NURSING

Sr. No	Name of hospital with address Contact no of Hospital Medical Superintendent or Authority Including Parent as well as Affiliated	TOTAL Bed Strength	Affiliated (A)	TOTAL Bed Occupancy on inspection day	% Bed Occupancy on inspection day	Distance from College/ Institute (Max 30 km & Hilly & Tribal 50 km)	Specialty Area	Is student actually posted if yes verify with document	*M.P.C.B CERT NO and date issue and valid till	*BMW CERT NO and date issue and valid till	*PC-PND CERT NO and date issue	M.O.U In notarized Date & Validity	BNHA no. & Valid till	Details on web site (YES/NO)	Remark
15	Swami Vivekanand Medical Mission Nagpur	100	Affiliated			5Km.	OBGY	Yes				Date: 23/09/2025 Valid 3 years	02	Yes	
16	Treat Me Hospital Nagpur	50	Affiliated			13 Km.	Psychiatric	Yes	Format1.0/RO/UAN No. MPCB-CONSENT 0000247539/CO/2507001 9/CO/2507001476 Date: 11/07/2025 Valid : 31/08/2029	Format1.0/RO/UAN No. MPCB-CONSENT-0000247539/CO/2507001 476 Date: 11/07/2025 Valid : 31/08/2029		Date: 05/12/2022 Valid 5 years	602	Yes	


 PRINCIPAL
 SURETECH COLLEGE OF NURSING
 NAGPUR



महाराष्ट्र MAHARASHTRA

● 2018 ●

NAGPUR TREASURY

TN 193861

26 SEP 2019

MEMORANDUM OF UNDERSTANDING

The Memorandum of Understanding is made in Nagpur on 01-01-2019 between ~~Chairman~~ Dnyanpath Bahu-Uddeshiya Shikshan Prasarak Mandal's, Suretech College of Nursing, Jamtha, Nagpur of the ONE PART

AND

SURETECH HOSPITAL RESEARCH CENTRE PVT. LTD. DHANTOLI & JAMTHA, NAGPUR. There are 2 hospitals in Nagpur that offer healthcare services and have a dedicated team of specialists. OTHER PART

Whereas **Suretech College of Nursing, Nagpur** affiliated to Maharashtra University of Health Science, Nashik. Recognized by Indian Nursing Council, New Delhi and Maharashtra Nursing Council, Mumbai has asked for clinical training of its **B.BSC(N), GNM, ANM** Nursing including their university practical exam at **SURETECH HOSPITAL RESEARCH CENTRE PVT. LTD. DHANTOLI & JAMTHA, NAGPUR** Hospital throughout their academic session.

AND

Whereas **SURETECH HOSPITAL RESEARCH CENTRE PVT. LTD. DHANTOLI & JAMTHA, NAGPUR.** has expressed their consent and interest to permit for their clinical training including university practical exam at **SURETECH HOSPITAL RESEARCH CENTRE PVT. LTD. DHANTOLI & JAMTHA, NAGPUR.** through their academic session.


S. K. K.
PRINCIPAL
SURETECH COLLEGE OF NURSING
NAGPUR

दस्तावेज प्रकार (Nature of document)	होय/नाही Yes/No
दस्तावेज कोणत्या प्रकारचा आहे? (Whether it is notarized?)	
संपत्तीचे स्वामी किंवा संपत्तीचे मालकीदार (Property Declaration in brief)	Suretech college
संपत्तीचे स्वामी किंवा संपत्तीचे मालकीदारचे नाव व संपत्तीचे मालकीदारचे स्वाक्षरी (Stamp Purchase Name & Signature)	Pranvita Jangalek
संपत्तीचे स्वामी किंवा संपत्तीचे मालकीदारचे नाव व संपत्तीचे मालकीदारचे स्वाक्षरी (If through other person then Name, Address & Signature)	Jangalek
संपत्तीचे स्वामी किंवा संपत्तीचे मालकीदारचे नाव व संपत्तीचे मालकीदारचे स्वाक्षरी (Name of the other party)	29 SEP 2018
संपत्तीचे स्वामी किंवा संपत्तीचे मालकीदारचे नाव व संपत्तीचे मालकीदारचे स्वाक्षरी (Name of the other party)	
संपत्तीचे स्वामी किंवा संपत्तीचे मालकीदारचे नाव व संपत्तीचे मालकीदारचे स्वाक्षरी (Name of the other party)	
संपत्तीचे स्वामी किंवा संपत्तीचे मालकीदारचे नाव व संपत्तीचे मालकीदारचे स्वाक्षरी (Name of the other party)	
संपत्तीचे स्वामी किंवा संपत्तीचे मालकीदारचे नाव व संपत्तीचे मालकीदारचे स्वाक्षरी (Name of the other party)	

Stamp Vendor
No. 1009 CH 2010
Khatia Chowk, Nagpur
Smt. G. R. Khatia


The terms and conditions of agreement for permission will be as given below.

- The agreement will be valid for the period of 10 (Ten) Years from the date of agreement subject to renewal after every academic year.
- The students will have to abide by the code of conduct of the hospital.
- The students will be posted at the hospital with prior information to the hospital authority.
- The college will utilize the hospital facility for clinical training of its students for throughout each academic year.
- No patient details will be used for any other purpose other than academic use of students of the party No. 1 Institute.
- The hospital reserve the right to discontinue any student and take disciplinary action as deemed fit for the action and misconduct performed during the course of training at Suretech Hospital Nagpur.
- The clinical training in no way should harm any admitted patient or cause any discomfort of any nature to the patient.
- The confidentiality of patients and patients right to be adhered to during the course of students training.
- No financial transactions are allowed in the agreement.


Chairman/College Principal
Suretech College of Nursing
Nagpur




PRINCIPAL
SURETECH COLLEGE OF NURSING
NAGPUR


Authorized Official
CMD
Suretech Hospital Research
Centre Pvt. Ltd. Dhantoli
& Jamtha, Nagpur
PRESIDENT
Dnyanpath Bahu-Uddeshiya
Shikshan Praarak Mandal
Jamtha, Nagpur

NAGPUR MUNICIPAL CORPORATION, NAGPUR

(HEALTH DEPARTMENT)



FORM-C

Certificate of Registration under Section 5 of Bombay Nursing Home Registration Act, 1949 (rule 5)

Nursing Home Registration Certificate

This is to certify that Shri/Smt. **Dr. Rajendra G. Deshmukh (MBBS, MS, MCH)** has been registered under the Bombay Nursing Home Registration Act 1949 in respect of **Suretech Hospital & Research Centre Ltd.** situated at **13-A, Banerjee Marg, Dhantoli, Nagpur** and has been authorized to carry on the said nursing home.

Registration No. : 400

Date of Registration : 01/08/1997

Place : Nagpur

Date of issue of certificate : 01/04/2025

Maternity : 0

Other Nursing : 50

This certificate of registration shall be valid up to 31 Mar 2028.



Dr. D. S. Selokar
Signature

Registering Authority
Medical Officer Health
Nagpur Municipal Corporation

This Certificate of Registration should be displayed at prominent place.
Application for renewal should be done in advance in the month of January.

Dr. Ashu
PRINCIPAL
SURETECH COLLEGE OF NURSING
NAGPUR



**PUBLIC HEALTH DEPARTMENT
ZILLA PARISHAD, NAGPUR**

Certificate of Registration


Under Section 5 of the
Bombay Nursing Homes Registration Act, 1949
(Extension of Provision)

FORM 'C' (Under Rule 5)

This is to verify that Shri/Smt. Hosp. Dr. Rajendra G. Deshmukh, Nagpur has been registered under the Bombay Nursing Homes Registration Act, 1949 in respect of Name of Nursing Home SURETECH HOSPITAL & RESEARCH CENTRE Situated at Kh. No. 120 / Wardha Road, Jamtha^{2K} and has been authorized to carry on the said Nursing Home.

Registration No. : 28 Maternity Zero Cots 60
Date of Registration 29.3.13 Other Nursing Patients one Cots 150
Five zero

This certificate shall be valid upto to 31st March 2028
Date of issue: 01.04.2025


PRINCIPAL
SURETECH COLLEGE OF NURSING
NAGPUR


District Health Officer
Zilla Parishad, Nagpur
Zilla Parishad, Nagpur.

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010706/24010437
Fax: 24023516
Website: <http://mpcb.gov.in>
Email: cac-cell@mpcb.gov.in



Kalpataru Point, 2nd and
4th floor, Opp. Cine Planet
Cinema, Near Sion Circle,
Sion (E), Mumbai-400022

RED/L.S.I

Date: 28/12/2023

No:- Format1.0/CC/UAN No.0000166952/CO/2312002762

To,
Suretech Hospital and Research Centre Limited
120/2K, Mouja Jamtha, Post Rui,
NH No. 7, Ashokvan, Wardha Road,
Nagpur - 441 108.
Email: suretechhospitaljamtha@gmail.com
Contact No.:9922999360



Your Service is Our Duty

Renewal of Combined Consent to Operate and BMW Authorization (CCA) under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.

- Ref:**
1. Your CCA application for grant of renewal of Combined Consent to Operate and BMW Authorization (CCA) received to MPCB, HQ, Sion, Mumbai on 24.05.2023.
 2. This office email dated 01.06.2023.
 3. Minutes of 12th Consent Committee Meeting of 2023-24 held on 02.08.2023.
 4. This office email dated 28.08.2023.
 5. Required information uploaded by you on 11.09.2023 & 13.09.2023.
 6. Additional information submitted by you on 13.10.2023 & 19.10.2023
 7. Information of Bank Guarantee uploaded by you on 01.11.2023.

After examining the proposal, The Maharashtra Pollution Control Board hereby grant 1st operate Combined Consent and BMW Authorization to HCE under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedule(I-IV) and Annexure (I-II)** enclosed in this order.

1. This CCA shall be in force for a period From **01-04-2023** To **31-03-2026**
2. The capital investment of the HCF is **₹1718.86** Lakhs (As per C.A Certificate Submitted by HCF)
3. HCF Area: - Plot Area 8100.00 M² with Built-up area 1892.00 M².


PRINCIPAL
SURETECH COLLEGE OF NURSING

4. Activities Included

a. Total Number of Beds : **150 Nos.** (As per BNH certificate no. 028 valid upto 31-03-2025)

I. General Beds : **75 Nos**

II. ICU/ICU Beds : **22 Nos**

III. Operation Theatre : **3 Nos**

IV. Other Beds : **50 Nos**

5. Conditions under the Water (P&CP) Act, 1974:-

1. Quantity of total water consumption shall not exceed 62 M³/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.
2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in **Annexure-I**
3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.

6. Conditions under the Air (P&CP) Act,1981:-

1. You shall use the fuel for DG set as specified in the **Annexure-II**.
2. You shall provide adequate emission control system to DG set as specified in **Annexure-II**.
3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per **Annexure-II**.

7. Conditions under Hazardous and Other Wastes(Management, Handling & Transboundary Movement) Rules, 2016 for treatment and disposal of hazardous waste:-

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.

Sr No	Type of Waste	HW Category no.	Quantity	UOM	Disposal
1	Biological Sludge		As per Actual		For gardening & manure

8. Conditions under Solid Waste Management rules 2016

1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
2. You shall Not mix general solid waste with Bio Medical Waste.

9. Conditions under BMW Management rules, 2016 (As Amended):-

1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
2. You shall segregate and handover BMW to BMW T&D CTF **Superb Hygienic Disposals, Nagpur** Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on www.cpcb.nic.in along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.


PRINCIPAL
SURETECH COLLEGE OF NURSING
NAGPUR

4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" (www.cpcb.nic.in).
10. You shall not undertake Modifications/ Upgradation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.
 11. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.
 12. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.
 13. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.
 14. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.
 15. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
 16. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
 17. Bank Guarantee of Rs 50,000/- towards providing separate BMW storage arrangements is not as per CPCB guidelines. Hence Bank Guarantee of Rs 50,000/- is eligible to forfeit. You shall submit double Bank Guarantee of Rs 1.00 lakhs and shall submit Bank Guarantee of Rs. 1.0 lakh for upgradation of existing Sewage Treatment Plant to Regional Officer, Nagpur within 15 days.
 18. You shall submit the Bank Guarantee of Rs 3.50 lakhs towards compliance of conditions as specified in Schedule III to The Regional Officer, MPCB, Nagpur within 30 days. Non submission of Bank Guarantee in specified time shall attract revocation of this CCA without further notice.
 19. You shall submit provide separate BMW storage arrangements is not as per CPCB guidelines and upgrade existing Sewage Treatment Plant within THREE months without fail; failing which Board shall initiate necessary actions.
 20. You shall submit compliance of Bank Guarantee conditions every six months to Regional Officer, Nagpur for verification purpose.



Avinash

e7d6bfd9
129c93c4
8e5b9353
22b42bfc
ddc6d276
eacfd684
b31f789a
157d84f5

Signed by: Dr. Avinash Dhakne
Member Secretary
For and on behalf of,
Maharashtra Pollution Control Board
ms@mpcb.gov.in
2023-12-28 20:17:52 IST

Received Consent/Authorization fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	250000.00	TXN2303005161	30/03/2023	Online Payment
2	15000.00	TXN2305003211	23/05/2023	Online Payment

You have submitted Consent fees of Rs. 2,65,000 /- . For renewal of CCA , Consent fee with increase in Capital Investment of Rs. 1,51,500 is considered and remaining fees of Rs. 1,13,050/- will be considered at the time of next application.

Copy to:

1. Regional Officer, MPCB, Nagpur and Sub-Regional Officer, MPCB, Nagpur II
2. Cheif Accounts Officer, MPCB,Sion, Mumbai
3. I/C EIC- for record & website updating purpose.



Conditions under Water (P & CP), 1974 Act: (Refer Condition No. 5)

A. Water Consumption Details:-

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	56.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	6.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Other such as agriculture, gardening, etc.	0.00

B. Conditions for Sewage & Effluent Generation, Treatment and Disposal:-

Sr. No.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1	Domestic Sewage	40	As per clause 'C'	100% Recycle & reuse for cleaning, washing, flushing and gardening purpose.
2	Trade effluent	5	As per clause 'C'	100% Recycle

C. You shall operate the combined waste water treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle treated effluent after achieving standard prescribed below.

Sr. No.	Parameters	Discharge Standards applicable
		Limiting Concentration in mg/except for pH
1	pH	6.5-9.0
2	Oil & Grease	10
3	BOD (3 days 27°C)	30
4	COD	250
5	Total Suspended Solids	100
6	Bio-Assay Test	90 % survival of fish after 96 hours in 100 % effluent

D. You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.

E. You shall provide Primary/ Secondary/ tertiary treatment system and disinfection facility.

F. The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.

G. You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.

Annexure - II

Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)

1. You shall observe following fuel pattern and erect following stack (s):

Sr. No.	Stack Attached to	Fuel Type	Quantity	Stack Height (Mtr)
1	DG set 160 KVA	Diesel	20.00 Lit/Day	3.00

2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).
4. Conditions for D.G. Set:-
 - a. Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
 - b. Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - c. You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - d. Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - e. A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - f. D.G. Set shall be operated only in case of power failure.
 - g. The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - h. The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.
5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

SCHEDULE-I**Authorization for Management of Bio-Medical Waste (Category and Quantity)**

The authorization is granted for Generation and Segregation of BioMedical Waste (BMW) in waste categories and quantities listed here in below:

Sr. No	Category	Type of Waste	Quantity not to exceed (Kg/Month)	Segregation Colour coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	180.00	Yellow coloured non- chlorinated plastic bags.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygienic Disposals, Nagpur Nagpur
		b) Animal Anatomical Waste	0.00		
		c) Soiled Waste	425.00		
		d) Expired or Discarded Medicines	15.00		
		e) Chemical Waste	0.00	Separate collection system leading to effluent treatment system.	
		f) Chemical Liquid Waste	0.00		
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	20.00	Yellow coloured non - chlorinated plastic bags or suitable packing material.	
		h) Microbiology Biotechnology and other clinical laboratory waste	15.00	Autoclave safe plastic bags or containers.	
2	Red	Contaminated waste (Recyclable)	520.00	Red coloured non chlorinated plastic bags or containers.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygienic Disposals, Nagpur Nagpur
3	White (Translucent)	Waste sharps including Metals	30.00	Puncture proof, Leak proof, tamper proof container.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygienic Disposals, Nagpur Nagpur
4	Blue	a) Glassware	45.00	Puncture proof, Leak proof with Blue coloured marking.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygienic Disposals, Nagpur Nagpur
		b) Metallic body implants	15.00		

SCHEDULE-II

Responsibilities of CBWTF

1. You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical waste treatment and Disposal facility **Superb Hygienic Disposals, Nagpur** and maintain records thereof for 5 years.
2. You shall establish bar code for handling of bio-medical waste.
3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016
4. You shall not store Bio Medical waste beyond 48 hours from the generation.
5. You shall use only non-chlorinated plastic coloured bags.
6. You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
7. You shall not mix General/other Solid waste with Bio Medical Waste.
8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
9. You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
11. You shall handover Plastic / Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of bio-medical wastes.
18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Nagpur and uploading the same to MPCB Portal (<https://www.ecmpcb.in/>).

SCHEDULE-III**Bank Guarantees**

1. Bank Guarantee imposed to ensure timely compliance, to be observed by operator.

Sr.No	Activity / Condition to be Complied	Compliance Timeline (Months)	Bank Guarantee Amount
1A	Operation and Maintenance		
1	To Segregate and Handle BMW as per Schedule I	Continuous	50,000.00
2	Towards Operation and Maintenance of STP/ETP to achieve prescribed discharge standards	Continuous	50,000.00
1B	Records		
1	To Maintain records of BMW and submission of Annual Report for preceding calendar year in Form -IV before 30th June every year	Continuous	25,000.00
2	To maintain records of BMW handed over to CBMWTDF	Continuous	25,000.00
2	Performance		
1	To provide BMW separate storage facility as per guidelines of CPCB	Three	100,000.00
2	To upgrade existing Sewage treatment Plant upto adequate capacity to treat sewage generate from hospital for 150 beds.	Three.	100,000.00
Total			3,50,000.00

Note: You shall extend the existing submitted Bank Guarantee for the Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional. Submit a fresh Bank Guarantee for the newly added Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional.

General Conditions

The following general conditions shall apply:-

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Nagpur.
6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended.

14. You shall submit an official e-mail address and any change will be duly informed to the MPCB.
15. You shall observe provisions of E-waste (Management) Rules 2016 & as amended time to time and Batteries (Management and Handling) Amendment Rules, 2010.
16. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
17. In case you use/ handle/ generate the cytotoxic waste you shall strictly adhere to the standards/ SOPs applicable and waste shall be labelled specifically as "Cytotoxic Waste" with symbol on waste containers/ bags and shall handover to BMW CTFs.
18. You shall obtain required permissions from competent authority for radio active material user/ handling/ disposal of waste before commencement of such activity.
19. The Energy source for lighting purpose shall preferably be LED based.
20. You shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
21. You shall provide personal protection equipment as per norms of Factory Act 1948
22. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 60 days of expiry.

This certificate is digitally & electronically signed.



Sitt



**Cancer Relief Society's
RASHTRA SANT TUKDOJI CANCER HOSPITAL AND
RESEARCH CENTRE**



Tukdoji Square, Manewada Road, Nagpur-440027, Tel.:2744441, 2748995, E-Mail-admin@rstrch.com, Web:www.rstrch.com

Affiliation Agreement

This affiliation agreement between Rashtrasant Tukodoji Cancer Hospital & Research Center, Nagpur & Sure tech College of Nursing , Nagpur.

Rashtrasant Tukodoji Cancer Hospital is a 100 bedded cancer hospital situated at Tukdoji Square Manewada road, Nagpur. With reference to SCON / 628/2024 Rashtrasant Tukodoji Cancer Hospital agreed to affiliate GNM , Bsc & Msc Nursing students of Suretech college of nursing & are permitted to undergo clinical training at Rashtrasant Tukodoji Cancer Hospital & Research Centre, Nagpur.

Shobte
PRINCIPAL
SURETECH COLLEGE OF NURSING
NAGPUR.

[Signature]
Additional Director

RST Cancer Hospital, Nagpur

Col. (Dr.) Vitas Dhanorkar
(Reg. No. MMC/51957)
Additional Director
RST Cancer Hospital

Received

[Signature]
28/10/24

copy to GNM coordinators

Sum. 84
28/10/2024.

NAGPUR MUNICIPAL CORPORATION, NAGPUR

(HEALTH DEPARTMENT)



FORM-C

Certificate of Registration under Section 5 of Bombay Nursing Home Registration Act, 1949 (rule 5)

Nursing Home Registration Certificate

This is to certify that Shri/Smt. Secretary (Cancer Relief Society) has been registered under the Bombay Nursing Home Registration Act 1949 in respect of Rastrasant Tukdoji Cancer Hospital & Research Centre situated at Tukdoji Square, Manewada Road, Nagpur and has been authorized to carry on the said nursing home.

Registration No. : 754

Date of Registration : 31/01/2008

Place : Nagpur

Date of issue of certificate : 01/04/2023

Maternity : 0

Other Nursing : 100

This certificate of registration shall be valid up to 31 Mar 2026.



[Signature]

Signature

Registering Authority

Medical Officer Health

Nagpur Municipal Corporation

Received

[Signature]

R.R.104

This Certificate of Registration should be displayed at prominent place.
Application for renewal should be done in advance in the month of January.

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010437/24020781
Fax: 24024068/24023515
Website: <http://mpcb.gov.in>
Email: ps@mpcb.gov.in



Kalpataru Point, 2nd, 3rd
and 4th floor, Opp. Cine
Planet Cinema, Near Sion
Circle, Sion (E),
Mumbai-400022

ORANGE/L.S.I

Date: 12/11/2024

No:- Format1.0/PSO/UAN No.0000216147/CO/2411000654

To,
Rashtrasant Tukdoji Cancer Hospital and Research
Centre
Tukdoji Square, Manewada Road, Nagpur (M
Corp.), Nagpur-440027
Email: admin@rstrch.com
Contact No.: 9423687661



LIFE
Lifestyle for
Environment

Your Service is Our Duty



लोकसेवा हक्क कायदा
Right to Public Service Act

Combined Renewal of Consent to Operate and BMW Authorization (CCA) under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.

- Ref:**
1. Combine Consent to 1st Operate and Bio-Medical Waste Authorization for 100 Beds granted by the Board vide no.Format1.0/CC/UAN No. 0000115813/CR/2302001936 dtd. 27/02/2023 which is valid till 31/08/2024.
 2. Your application for Combine Consent and Bio-Medical Waste Authorization dated 22/07/2024
 3. This office e-mail vide dtd. 24/10/2024
 4. Documents submitted on 05/11/2024 & 09/11/2024

After examining the proposal, The Maharashtra Pollution Control Board hereby grant Combined Renewal of Consent to Operate and BMW Authorization to HCE under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedule(I-IV) and Annexure (I-II)** enclosed in this order.

1. This CCA shall be in force for a period From **31-08-2024 To 31-08-2026**
2. :- Plot Area 20256.15 M² with Built-up area 17217.73 M².
3. **Activities Included**
 - a. Total Number of Beds : **100 Nos.** (As per BNH certificate no. 754 valid upto 31-03-2026)
4. **Conditions under the Water (P&CP) Act, 1974:-**
 1. Quantity of total water consumption shall not exceed 55.5 M³/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.
 2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in **Annexure-I**


PRINCIPAL
SURETECH COLLEGE OF NURSII
NAGPUR.

- You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.

5. Conditions under the Air (P&CP) Act,1981:-

- You shall use the fuel for DG set as specified in the **Annexure-II**.
- You shall provide adequate emission control system to DG set as specified in **Annexure-II**.
- You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per **Annexure-II**.

6. Conditions under Hazardous and Other Wastes(Management, Handling & Transboundry Movement) Rules, 2016 for treatment and disposal of hazardous waste:-

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.

Sr No	Type of Waste	HW Category no.	Quantity	UOM	Disposal
1	35.3 Chemical sludge from waste water treatment	35.3	As per Actual	MT/A	Municipal Land fill

7. Conditions under Solid Waste Management rules 2016

- You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
- You shall Not mix general solid waste with Bio Medical Waste.

8. Conditions under BMW Management rules, 2016 (As Amended):-

- You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
 - You shall segregate and handover BMW to BMW T&D CTF **Superb Hygienic Disposals, Nagpur** Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
 - Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on www.cpcb.nic.in along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
 - Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" (www.cpcb.nic.in).
- 9.** You shall not undertake Modifications/ Upgradation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.

Stt

PRINCIPAL
SURETECH COLLEGE OF NURSING
NAGPUR

10. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.
11. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.
12. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.
13. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.
14. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
15. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
16. As per your application, the laundry activity is outsourced. Therefore, you are strictly prohibited from conducting any laundry activity within the premises of your hospital.
17. You shall ensure that the hospital operates with a valid registration under the Bombay Nursing Home (BNH) Act and holds an active membership with a Common Biomedical Waste Treatment Facility (CBWTF). Failure to maintain valid BNH registration and/or CBWTF membership may attract revocation of this CCA without prior notice.
18. You shall submit the bank guarantee of Rs. 1,62,500/- towards compliance of conditions as specified in Schedule III to The Regional Officer, MPCB, Nagpur within 15 days. Non submission of B.G. in specified time shall attract 12% penal interest on BG amount.

This consent is issued on the basis of information/documents submitted by the Applicant/Project Proponent, if it has been observed that the information submitted by the Applicant/Project Proponent is false, misleading or fraudulent, the Board reserves its right to revoke the consent & further legal action will be initiated against the Applicant/Project Proponent.



Ranjana

Generated by Print2Block
a84a7591
48f8b723
218f6f32
9b8c7aac
6ccda38e
ef565cf3
57fcc207
4f44c987

Signed by: Dr. Vishwajeet Ramesh Thakur
Principal Scientific Officer
For and on behalf of,
Maharashtra Pollution Control Board
pso@mpcb.gov.in
2024-11-12 22:07:22 IST

Received Consent/Authorization fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	100000.00	TXN2407003959	22/07/2024	Online Payment

Stll
PRINCIPAL
SURETECH COLLEGE OF NURSING
NAGPUR

Copy to:

1. Regional Officer, MPCB, Nagpur and Sub-Regional Officer, MPCB, Nagpur I
 - Regional Officer, MPCB Nagpur is directed to ensure submission of Bank Guarantee by hospital as specified in Schedule III of CCA and monitor the compliance of the consent conditions.
 - SRO - Nagpur - I is directed to ensure the compliance of the CCA conditions.
2. Chief Accounts Officer, MPCB, Sion, Mumbai
3. I/C EIC- for record & website updating purpose.

SAT



Conditions under Water (P & CP), 1974 Act: (Refer Condition No. 5)

A. Water Consumption Details:-

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	55.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	0.50
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Other such as agriculture, gardening, etc.	0.00

B. Conditions for Sewage & Effluent Generation, Treatment and Disposal:-

Sr. No.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1	Domestic Sewage	27.5	As per clause 'C'	50% recycle and 50% on land gardening & local sewer line
2	Trade effluent	0.5	As per clause 'C'	100% gardening

C. You shall operate the combined waste water treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle treated effluent after achieving standard prescribed below.

Sr. No.	Parameters	Discharge Standards applicable
		Limiting Concentration in mg/except for pH
1	pH	6.5-9.0
2	Oil & Grease	10
3	BOD (3 days 27°C)	30
4	COD	250
5	Total Suspended Solids	100
6	Bio-Assay Test	90 % survival of fish after 96 hours in 100 % effluent

- D. You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- E. You shall provide Primary/ Secondary/ tertiary treatment system and disinfection facility.
- F. The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.
- G. You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.
- H. All Health Care Facilities irrespective of the bed capacity shall install scientifically designed disinfection facilities before discharging the effluent into sewer line or reuse in the premises as stipulated under Schedule II (6) of Biomedical waste Management Rules, 2016.

Stt
 RASHTRASANT TUKDOJI
 COLLEGE OF NURSING
 NAGPUR

Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)

1. You shall observe following fuel pattern and erect following stack (s):

Sr. No.	Stack Attached to	Fuel Type	Quantity	Stack Height (Mtr)
1	DG Set (320 KVA)	Diesel	29.00 Ltr/Hr	4.00

2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).
4. Conditions for D.G. Set:-
- Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
 - Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - D.G. Set shall be operated only in case of power failure.
 - The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.
5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.


 PRINCIPAL
 SURETECH COLLEGE OF NURSING
 NAGPUR

SCHEDULE-I**Authorization for Management of Bio-Medical Waste (Category and Quantity)**

The authorization is granted for Generation and Segregation of BioMedical Waste (BMW) in waste categories and quantities listed here in below:

Sr. No	Category	Type of Waste	Quantity not to exceed (Kg/Month)	Segregation Colour coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	100.00	Yellow coloured non- chlorinated plastic bags.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygienic Disposals, Nagpur Nagpur
		b) Animal Anatomical Waste	0.00		
		c) Soiled Waste	400.00		
		d) Expired or Discarded Medicines	6.00		
		e) Chemical Waste	0.00		
		f) Chemical Liquid Waste	50.00	Separate collection system leading to effluent treatment system.	
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	50.00	Yellow coloured non - chlorinated plastic bags or suitable packing material.	
		h) Microbiology Biotechnology and other clinical laboratory waste	100.00	Autoclave safe plastic bags or containers.	
2	Red	Contaminated waste (Recyclable)	1500.00	Red coloured non chlorinated plastic bags or containers.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygienic Disposals, Nagpur Nagpur
3	White (Translucent)	Waste sharps including Metals	35.00	Puncture proof, Leak proof, tamper proof container.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygienic Disposals, Nagpur Nagpur
4	Blue	a) Glassware	1800.00	Puncture proof, Leak proof with Blue coloured marking.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygienic Disposals, Nagpur Nagpur
		b) Metallic body implants	200.00		

Seth
 SURETECH COLLEGE OF NURSING
 NAGPUR.

Responsibilities of HCF

1. You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical waste treatment and Disposal facility **Superb Hygienic Disposals, Nagpur** and maintain records thereof for 5 years.
2. You shall establish bar code for handling of bio-medical waste.
3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016
4. You shall not store Bio Medical waste beyond 48 hours from the generation.
5. You shall use only non-chlorinated plastic coloured bags.
6. You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
7. You shall not mix General/other Solid waste with Bio Medical Waste.
8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
9. You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
11. You shall handover Plastic / Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of bio-medical wastes.
18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Nagpur and uploading the same to MPCB Portal (<https://www.ecmpcb.in/>).


PRINCIPAL
SURETECH COLLEGE OF NURSING
NAGPUR

Bank Guarantees

1. Bank Guarantee imposed to ensure timely compliance, to be observed by operator.

Sr.No	Activity / Condition to be Complied	Compliance Timeline (Months)	Bank Guarantee Amount
1A	Operation and Maintenance		
1	To Segregate and Handle BMW as per Schedule I	Continuous	50,000.00
2	Towards Operation and Maintenance of STP/ETP to achieve prescribed discharge standards	Continuous	62,500.00
1B	Records		
1	To Maintain records of BMW and submission of Annual Report for preceding calendar year in Form -IV before 30th June every year	Continuous	25,000.00
2	To maintain records of BMW handed over to CBMWTFD	Continuous	25,000.00
Total			1,62,500.00

Note: You shall extend the existing submitted Bank Guarantee for the Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional. Submit a fresh Bank Guarantee for the newly added Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional.

The above Bank Guarantee(s) shall be submitted by the applicant in favour of Regional Officer at the respective Regional Office within 15 days from the date of issue of Consent.

If the above Bank Guarantee is not submitted within stipulated period, then 12% interest will be levied as a penalty as per circular dtd 29/02/2024 No. BO/MPCB/AS(T)/Circular/B-240229FTS0122

Stt
 PRINCIPAL
 SURETECH COLLEGE OF NURSING
 NAGPUR.

General Conditions

The following general conditions shall apply:-

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Nagpur.
6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended.


PRINCIPAL
SURETECH COLLEGE OF NURSING

14. You shall submit an official e-mail address and any change will be duly informed to the MPCB.
15. You shall observe provisions of E-waste (Management) Rules 2016 & as amended time to time and Batteries (Management and Handling) Amendment Rules, 2010.
16. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
17. In case you use/ handle/ generate the cytotoxic waste you shall strictly adhere to the standards/ SOPs applicable and waste shall be labelled specifically as "Cytotoxic Waste" with symbol on waste containers/ bags and shall handover to BMW CTFs.
18. You shall obtain required permissions from competent authority for radio active material user/ handling/ disposal of waste before commencement of such activity.
19. The Energy source for lighting purpose shall preferably be LED based.
20. You shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
21. You shall provide personal protection equipment as per norms of Factory Act 1948
22. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 60 days of expiry.

This certificate is digitally & electronically signed.



PRINCIPAL
SURETECH COLLEGE OF NURSING
NAGPUR.



महाराष्ट्र MAHARASHTRA

● 2024 ●

NAGPUR TREASURY
00AB 411761

09 JUL 2024

MEMORANDUM OF UNDERSTANDING

The Memorandum of Understanding is made in Nagpur on 01/08/2024 between Chairman Dnyanpath Bahu-Uddeshiya Shikshan Prasarak Mandal's, Suretech College of Nursing, Jamtha, Nagpur of the ONE PART

AND

Midas Multispecialty Hospital Pvt. Ltd. Nagpur This hospital in Nagpur that offer healthcare services and have a dedicated team of specialists. OTHER PART

Whereas Suretech College of Nursing, Jamtha, Nagpur affiliated to Maharashtra University of Health Science, Nashik. Recognized by Indian Nursing Council, New Delhi and Maharashtra Nursing Council, Mumbai has asked for clinical training of its M.SC. (N), B.B.SC.(N), GNM, ANM Nursing at Midas Multispecialty Hospital Pvt. Ltd. Nagpur throughout their academic session.

AND


Whereas Midas Multispecialty Hospital Pvt. Ltd. Nagpur has expressed their consent and interest to permit for their clinical training at Midas Multispecialty Hospital Pvt. Ltd throughout the academic session.

The terms and conditions of agreement for permission will be as given below.

1. The agreement will be valid for the period of 3 (Three) Years from the date of agreement subject to renewal after every academic year.
2. The students will have to abide by the code of conduct of the hospital.
3. The students will be posted at the hospital with prior information to the hospital authority.
4. The college will utilize the hospital facility for clinical training of its students for throughout each academic year.
5. No patient details will be used for any other purpose other than academic use of students of the party No. 1 Institute.


PRINCIPAL
SURETECH COLLEGE OF NURSING
NAGPUR





MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010706/24010437
Fax: 24023516
Website: <http://mpcb.gov.in>
Email: cac-cell@mpcb.gov.in



Kalpataru Point, 2nd and
4th floor, Opp. Cine Planet
Cinema, Near Sion Circle,
Sion (E), Mumbai-400022

RED/L.S.I

No:- Format1.0/CC/UAN No.0000157110/CE/2307001441

Date: 24/07/2023

To,
MIDAS MULTISPECIALTY HOSPITAL PVT. LTD.
Sa. Ka. 42, Khasra no. 10/3,
Mauja: Parsodi, Tal: Nagpur,
Dist: Nagpur.
Email: midasparsodi@gmail.com
Contact No.: 9860049693



Your Service is Our Duty

Grant of Consent to Establish under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.

- Ref:
1. Your CCA application for Grant of renewal of Consent to Establish received from SRO, Nagpur - II to MPCB, HQ, Mumbai on 03.04.2023.
 2. This office email dated 18.04.2023.
 3. Minutes of 4th Consent Committee meeting dated 12.05.2023.
 4. Information uploaded by you on 09.07.2023 & 10.07.2023.
 5. Required information uploaded you you on 12.07.2023.

After examining the proposal, The Maharashtra Pollution Control Board hereby grant consent to Establish to HCE under Section 25 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedule(I-IV) and Annexure (I-II)** enclosed in this order.

1. The conditional Consent to Establish is granted for the period from commissioning of the unit or five years whichever is earlier.
2. The capital investment of the HCF is ₹3385.00 Lakhs (As per C.A Certificate Submitted by HCF)
3. HCF Area: - Plot Area 42900.00 M² with Built-up area 14149.06 M².
4. **Activities Included**
 - a. Total Number of Beds : **150 Nos.** Applied on 27.06.2023.
5. **Conditions under the Water (P&CP) Act, 1974:-**
 1. Quantity of total water consumption shall not exceed 50 M³/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.

Received
by
10/8/11/2023

PRINCIPAL
SURETECH COLLEGE OF NURSING
NAGPUR

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010706/24010437
Fax: 24023516
Website: <http://mpcb.gov.in>
Email: cac-cell@mpcb.gov.in



Kalpataru Point, 2nd and
4th floor, Opp. Cine Planet
Cinema, Near Sion Circle,
Sion (E), Mumbai-400022

RED/L.S.I

Date: 24/07/2023

No:- Format1.0/CC/UAN No.0000157110/CE/2307001441

To,
MIDAS MULTISPECIALTY HOSPITAL PVT. LTD.
Sa. Ka. 42, Khasra no. 10/3,
Mauja: Parsodi, Tal: Nagpur,
Dist: Nagpur.
Email: midasparsodi@gmail.com
Contact No.: 9860049693



Your Service is Our Duty

Grant of Consent to Establish under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.

- Ref:**
1. Your CCA application for Grant of renewal of Consent to Establish received from SRO, Nagpur - II to MPCB, HQ, Mumbai on 03.04.2023.
 2. This office email dated 18.04.2023.
 3. Minutes of 4th Consent Committee meeting dated 12.05.2023.
 4. Information uploaded by you on 09.07.2023 & 10.07.2023.
 5. Required information uploaded by you on 12.07.2023.

After examining the proposal, The Maharashtra Pollution Control Board hereby grant consent to Establish to HCE under Section 25 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedule(I-IV) and Annexure (I-II)** enclosed in this order.

1. The conditional Consent to Establish is granted for the period from commissioning of the unit or five years whichever is earlier.
2. The capital investment of the HCF is ₹3385.00 Lakhs (As per C.A Certificate Submitted by HCF)
3. HCF Area: - Plot Area 42900.00 M² with Built-up area 14149.06 M².
4. **Activities Included**
 - a. Total Number of Beds : 150 Nos. Applied on 27.06.2023.
5. **Conditions under the Water (P&CP) Act, 1974:-**
 1. Quantity of total water consumption shall not exceed 50 M³/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.

Received
28/4/2024

PRINCIPAL
SURETECH COLLEGE OF NURSING

42

2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in **Annexure-I**
3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.

6. Conditions under the Air (P&CP) Act, 1981:-

1. You shall use the fuel for DG set as specified in the **Annexure-II**.
2. You shall provide adequate emission control system to DG set as specified in **Annexure-II**.
3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per **Annexure-II**.

7. Conditions under Hazardous and Other Wastes(Management, Handling & Transboundary Movement) Rules, 2016 for treatment and disposal of hazardous waste:-

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.

Sr No	Type of Waste	HW category no.	Quantity	UOM	Disposal
1	Biological Sludge		45	Kg/Day	Gardening & manure.

8. Conditions under Solid Waste Management rules 2016

1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
2. You shall Not mix general solid waste with Bio Medical Waste.

9. Conditions under BMW Management rules, 2016 (As Amended):-

1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
 2. You shall segregate and handover BMW to BMW T&D CTF **Superb Hygienic Disposals, Nagpur** Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
 3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on www.cpcb.nic.in along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
 4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" (www.cpcb.nic.in).
- 10.** You shall not undertake Modifications/ Upgradation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.
- 11.** Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.

12. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.
13. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.
14. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.
15. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
16. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
17. You shall surrender the CCA to MPCB, if obtained for less or more than 150 beds at the same location within 15 days.
18. You shall submit the Bank Guarantee of Rs. 1.50 lakh towards compliance of conditions as specified in Schedule III to The Regional Officer, MPCB, Nagpur within 30 days. Non submission of Bank Guarantee in specified time shall attract revocation of this CCA without further notice.
19. You shall submit compliance of Bank Guarantee conditions every six months to Regional Officer, Nagpur for verification purpose.

This consent is signed as per power delegated vide letter dated 03/11/2022 No. MPCB/AS(T)/B-0107 by competent authority of the board.



5b0b13a
8032fd0c
4b03e543
7b23a416
c9255ea8
1307025a
f1a6d9da
32aeb388

Signed by: Dr. Amar R. Supate
Principal Scientific Officer
For and on behalf of
Maharashtra Pollution Control Board
pso@mpcb.gov.in
2023-07-24 11:20:22 IST

Received Consent/Authorization fee of -

Sr.No	Amount(Rs.)	Transaction/DR No.	Date	Transaction Type
1	75000.00	TXN2212003675	20/01/2023	Online Payment

Copy to:

1. Regional Officer, MPCB, Nagpur and Sub-Regional Officer, MPCB, Nagpur I
- - They are directed to ensure the compliance of the consent conditions.
SRO They are directed to ensure the compliance of the consent conditions.
2. Chief Accounts Officer, MPCB, Sion, Mumbai
3. I/C EIC- for record & website updating purpose.

PRINCIPAL
SURETECH COLLEGE OF NURSING
NAGPUR.

344

Conditions under Water (P & CP), 1974 Act: (Refer Condition No. 5)

A. Water Consumption Details:-

Sr. No.	Purpose for Water consumed	Water consumption quantity (GMP)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	50.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	0.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Other such as agriculture, gardening, etc.	0.00

B. Conditions for Sewage & Effluent Generation, Treatment and Disposal:-

Sr. No.	Description	Permitted quantity of discharge (GMP)	Standards to be achieved	Disposal
1	Domestic Sewage	50	As per clause 'C'	100% Recycle & reuse for cleaning, washing, flushing and gardening purpose.
2	Trade effluent	10	As per clause 'C'	100% Recycle

C. You shall operate the combined waste water treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle treated effluent after achieving standard prescribed below.

Sr. No.	Parameters	Discharge Standards applicable Limiting Concentration in mg/except for pH
1	pH	6.5-9.0
2	Oil & Grease	10
3	BOD (3 days 27°C)	30
4	COD	250
5	Total Suspended Solids	100
6	Bio-Assay Test	90 % survival of fish after 96 hours in 100 % effluent

- D. You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- E. You shall provide Primary/ Secondary/ tertiary treatment system and disinfection facility.
- F. The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.
- G. You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.

Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)

1. You shall observe following fuel pattern and erect following stack (s):

Sr. No.	Stack Attached to	Fuel Type	Quantity	Stack Height (Mtr)
1	DG set 750 KVA	Diesel	89.70 Lit/Day	25.50

2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).
4. Conditions for D.G. Set:-
- Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
 - Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - D.G. Set shall be operated only in case of power failure.
 - The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.
5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.


 PRINCIPAL
 SUBTECH COLLEGE OF NURSING
 NAGPUR

Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)

1. You shall observe following fuel pattern and erect following stack (s):

Sr. No.	Stack Attached to	Fuel Type	Quantity	Stack Height (Mtr)
1	DG set 750 KVA	Diesel	89.70 Lit/Day	25.50

2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).
4. Conditions for D.G. Set:-
- Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
 - Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - D.G. Set shall be operated only in case of power failure.
 - The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.
5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.



PRINCIPAL
SURETECH COLLEGE OF NURSING
NAGPUR

SCHEDULE-I

Authorization for Management of Bio-Medical Waste (Category and Quantity)

The authorization is granted for Generation and Segregation of BioMedical Waste (BMW) in waste categories and quantities listed here in below:

Sl. No.	Category	Type of Waste	Quantity to be generated (kg/month)	Segregation Colour Coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	0.00	Yellow coloured non-chlorinated plastic bags.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygienic Disposals, Nagpur Nagpur
		b) Animal Anatomical Waste	0.00		
		c) Soiled Waste	0.00		
		d) Expired or Discarded Medicines	0.00	Separate collection system leading to effluent treatment system.	
		e) Chemical Waste	0.00		
		f) Chemical Liquid Waste	0.00		
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	0.00		
h) Microbiology Biotechnology and other clinical laboratory waste	0.00	Autoclave safe plastic bags or containers.	Pre-treat to sterilize with nonchlorinated chemicals on-site as per National AIDS Control Organisation or World Health Organisation guidelines thereafter sent to BMW-CTF for Incineration.		
2	Red	Contaminated waste (Recyclable)	0.00	Red coloured non-chlorinated plastic bags or containers.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygienic Disposals, Nagpur Nagpur
3	White (Translucent)	Waste sharps including Metals	0.00	Puncture proof, Leak proof, tamper proof container.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygienic Disposals, Nagpur Nagpur
4	Blue	a) Glassware	0.00	Puncture proof, Leak proof with Blue coloured marking.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygienic Disposals, Nagpur Nagpur
		b) Metallic body implants	0.00		

Smt
PRINCIPAL
SURETECH COLLEGE OF NURSING
NAGPUR

Responsibilities of the Health Care Facility

1. You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical waste treatment and Disposal facility **Superb Hygienic Disposals, Nagpur** and maintain records thereof for 5 years.
2. You shall establish bar code for handling of bio-medical waste.
3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016
4. You shall not store Bio Medical waste beyond 48 hours from the generation.
5. You shall use only non-chlorinated plastic coloured bags.
6. You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
7. You shall not mix General/other Solid waste with Bio Medical Waste.
8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
9. You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
11. You shall handover Plastic / Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of bio-medical wastes.
18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Nagpur and uploading the same to MPCB Portal (<https://www.ecmpcb.in/>).

SCHEDULE-III

Bank Guarantees

1. Bank Guarantee imposed to ensure timely compliance, to be observed by operator.

Sr.No	Activity/condition to be Complied	Compliance Timeline (Months)	Bank Guarantee Amount
1A	Performance		
1	To provide BMW separate storage facility as per guidelines of CPCB	Continuous	50,000.00
2	To provide adequate capacity of ETP & STP to treat effluent & sewage generated from hospital activity. s of CPCB	Continuous	100,000.00
Total			1,50,000.00

Note: You shall extend the previously submitted Bank Guarantee valid upto the validity of this CCA + 4 months additional.


PRINCIPAL
SURETECH COLLEGE OF NURSING
NAGPUR

HEAD OFFICE

• 16, Central Excise Colony, Chhatrapati Square,
Ring Road, Nagpur - 440 015, (M.S.)India

☎ 0712-2234345, 2222556

Fax No. : 0712-2242202

HOSPITAL AT

• 2163-C, Chintaman Nagar, Near Rajiv Nagar,
Somalwada, Nagpur - 440 025.

☎ 0712 - 2289102 - 2289106

Fax No. : 0712-2242202

OUR ASSOCIATE HOSPITALS

• At Mulund (E) Mumbai, Amravati

E-mail : info@mahatmehospital.com

Web : www.mahatmehospital.org

mahatme



HELP TO COME OUT OF DARKNESS

EYE BANK & EYE HOSPITAL

RECOGNISED INSTITUTE FOR POST GRADUATION

RUN BY :

S.M.M. EYE WELFARE CHARITABLE TRUST NAGPUR (Regn No. E - 1183)

Govt. Recognised Eye Bank (Regn. No. NPB/1087/4401/C.R./343/87 Health -6)

Date : 08/08/17

AFFILIATION AGREEMENT

This affiliation agreement between Mahatme Eye Bank Eye Hospital, Nagpur and Suretech College of Nursing, Nagpur.

Mahatme Eye Hospital is 100 bedded Eye Hospital, situated at 2163-C, Chintaman Nagar, Near Rajiv Nagar, Somalwada Nagpur, With reference to our discussion, Mahatme hospital agreed to affiliate Suretech College of Nursing are permitted to undergo clinical experience in Mahatme Eye Bank Eye Hospital.

Dr. Vikas Mahatme
29/08/2017

Dr. Skett
PRINCIPAL
SURETECH COLLEGE OF NURSING
NAGPUR

Dr. Mumtaz Ali Peerzada
Dr. Mumtaz Ali Peerzada
Chief Operating Officer
Chief Operating Officer
Mahatme Eye Bank Eye Hospital
Nagpur

OFFICE BEARERS :

Secretary - Shri. M.S. Kalmegh

Treasurer - Shri A.R. Wairagade

Founder Medical Director - Dr. Vikas Mahatme




Chief Operating Officer

Dr. Ali

M : 9326572689

CONSULTANTS / TEACHERS :

- Dr. Sudha Sutaria • Dr. Chitra Pande
- Dr. Mihir Kothari • Dr. Nikhilesh Wairagade
- Dr. Smita Sapate



MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010437/24020781
Fax: 24024068/24023515
Website: <http://mpcb.gov.in>
Email: ps@mpcb.gov.in



Kalpataru Point, 2nd, 3rd
and 4th floor, Opp. Cine
Planet Cinema, Near Sion
Circle, Sion (E),
Mumbai-400022

ORANGE/

Date: 08/05/2024

No:- Format1.0/PSO/UAN No.0000205448/CO/2405000660

To,
Mahatme Eye Bank & Eye Hospital
Run by S.M.M. Eye Welfare Charitable Trust,
2163-C, Chintaman Nagar,
Near Near Rajiv Nagar Somalwada,
Nagpur -440025



Email: manager@mahatmehospital.com
Contact No.: 9326572689

Renewal of Combined Consent to Operate and BMW Authorization (CCA) under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.

- Ref:**
1. Combined Consent and Bio-Medical Waste Authorization granted by the Board vide no Formate 1.0/BO/PSO/HOD-2102001172 dated 18.02.2021
 2. Your application for Combine Consent and Bio-Medical Waste Authorization dated 03/04/2024

After examining the proposal, The Maharashtra Pollution Control Board hereby renew Combined Consent and BMW Authorization to HCE under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedule(I-IV) and Annexure (I-II)** enclosed in this order.

1. This CCA shall be in force for a period From **05-06-2024 To 04-06-2030**
2. The capital investment of the HCF is **₹574 Lakhs** (As per C.A Certificate Submitted by HCF)
3. HCF Area: - Plot Area 1200.10 M² with Built-up area 1186.90 M².
4. **Activities Included**
 - a. Total Number of Beds : **100 Nos.** (As per BNH certificate no. 437 valid upto 31-03-2024)
 1. General Beds : **100 Nos**
5. **Conditions under the Water (P&CP) Act, 1974:-**
 1. Quantity of total water consumption shall not exceed 6.73 M³/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.

PRINCIPAL
SURETECH COLLEGE OF NURSING
NAGPUR.

2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in **Annexure-I**
3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.

6. Conditions under the Air (P&CP) Act,1981:-

1. You shall use the fuel for DG set as specified in the **Annexure-II**.
2. You shall provide adequate emission control system to DG set as specified in **Annexure-II**.
3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per **Annexure-II**.

Conditions under Hazardous and Other Wastes(Management, Handling & Transboundry Movement) Rules, 2016 for treatment and disposal of hazardous waste:-

7. Transboundry Movement) Rules, 2016 for treatment and disposal of hazardous waste:-

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.

Sr No	Type of Waste	HW Category no.	Quantity	UOM	Disposal
		NA			

9. Conditions under Solid Waste Management rules 2016

1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
2. You shall Not mix general solid waste with Bio Medical Waste.


10. Conditions under BMW Management rules, 2016 (As Amended):-

1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
2. You shall segregate and handover BMW to BMW T&D CTF **Superb Hygienic Disposals, Nagpur** Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on www.cpcb.nic.in along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" (www.cpcb.nic.in).
11. You shall not undertake Modifications/ Upgradation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.
12. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.
13. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.


 PRINCIPAL
 SURETECH COLLEGE OF NURSING
 NAGPUR.



14. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.
15. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.
16. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
17. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
18. You shall submit the bank guarantee of INR 1.5 lakh towards compliance of conditions as specified in Schedule III to The Regional Officer, MPCB, Nagpur within 30 days. Non submission of B.G. in specified time shall attract revocation of this CCA without further notice



Ramesh Thakur

1ffe11b1
4a02a027
fbd9b4f9
2fde7ce9
9c621a51
69f139d9
bb62e725
a97a82e2

Signed by: Dr. Vishwajeet Ramesh Thakur
Principal Scientific Officer
For and on behalf of
Maharashtra Pollution Control Board
ps@mpcb.gov.in
2024-05-06 16:20:00 IST

Received Consent/Authorization fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	75000.00	TXN2404000738	03/04/2024	Online Payment

Copy to:

1. Regional Officer, MPCB, Nagpur and Sub-Regional Officer, MPCB, Nagpur I
- - They are directed to ensure the compliance of the consent conditions.
2. Chief Accounts Officer, MPCB, Sion, Mumbai
3. I/C EIC- for record & website updating purpose.

ps
PRINCIPAL
SURETECH COLLEGE OF NURSING
NAGPUR

Conditions under Water (P & CP), 1974 Act: (Refer Condition No. 5)

A. Water Consumption Details

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	6.73
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	0.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Other such as agriculture, gardening, etc.	0.00

B. Conditions for Sewage & Effluent Generation, Treatment and Disposal:-

Sr. No.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1	Domestic Sewage	2.0	As per clause 'C'	To Municipal Sewers
2	Trade effluent	0	As per clause 'C'	NA

- C. You shall operate the combined waste water treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle treated effluent after achieving standard prescribed below.

Sr. No.	Parameters	Discharge Standards applicable	
		Limiting Concentration in mg/except for pH	
1	pH	6.5-9.0	
2	Oil & Grease	10	
3	BOD (3 days 27°C)	30	
4	COD	250	
5	Total Suspended Solids	100	
6	Bio-Assay Test	90 % survival of fish after 96 hours in 100 % effluent	

- D. You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- E. You shall provide Primary/ Secondary/ tertiary treatment system and disinfection facility.
- F. The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.
- G. You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable


 PRINCIPAL
 SURETECH COLLEGE OF NURSING
 NAGPUR

Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)

1. You shall observe following fuel pattern and erect following stack (s):

Sr. No.	Stack Attached to	Fuel Type	Quantity	Stack Height (Mtr)
1	DG set 125 KVA	HSD	0.65 Ltr/M	10.00

2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).
4. Conditions for D.G. Set:-
- Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
 - Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - D.G. Set shall be operated only in case of power failure.
 - The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.
5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

[Signature]
 PRINCIPAL
 SURETECH COLLEGE OF NURSING
 NAGPUR.

Authorization for Management of Bio-Medical Waste (Category and Quantity)

The authorization is granted for Generation and Segregation of BioMedical Waste (BMW) in waste categories and quantities listed here in below:

Sr. No.	Category	Type of Waste	Quantity not to exceed (Kg/Month)	Segregation Colour coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	7.00	Yellow coloured non- chlorinated plastic bags.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygienic Disposals, Nagpur
		b) Animal Anatomical Waste	0.00		
		c) Soiled Waste	40.00		
		d) Expired or Discarded Medicines	0.00		
		e) Chemical Waste	0.00		
		f) Chemical Liquid Waste	0.00	Separate collection system leading to effluent treatment system.	
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	0.00	Yellow coloured non - chlorinated plastic bags or suitable packing material.	
		h) Microbiology Biotechnology and other clinical laboratory waste	0.00	Autoclave safe plastic bags or containers.	
2	Red	Contaminated waste (Recyclable)	20.00	Red coloured non chlorinated plastic bags or containers.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygienic Disposals, Nagpur
3	White (Translucent)	Waste sharps including Metals	10.00	Puncture proof, Leak proof, tamper proof container.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygienic Disposals, Nagpur
4	Blue	a) Glassware	0.00	Puncture proof, Leak proof with Blue coloured marking.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygienic Disposals, Nagpur
		b) Metallic body implants	0.00		

Seth
PRINCIPAL
NAGPUR.

57

Bank Guarantees

Bank Guarantee imposed to ensure timely compliance, to be observed by operator.

Sr.No	Activity / Condition to be Complied	Compliance Timeline (Months)	Bank Guarantee Amount
1A	Operation and Maintenance		
1	To Segregate and Handle BMW as per Schedule I	Continuous	50,000.00
2	Towards Operation and Maintenance of STP/ETP to achieve prescribed discharge standards	Continuous	50,000.00
1B	Records		
1	To Maintain records of BMW and submission of Annual Report for preceding calendar year in Form -IV before 30th June every year	Continuous	25,000.00
2	To maintain records of BMW handed over to CBMWTDF	Continuous	25,000.00
Total			1,50,000.00

Note: You shall extend the existing submitted Bank Guarantee for the Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional. Submit a fresh Bank Guarantee for the newly added Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional.



PRINCIPAL
SURETECH COLLEGE OF NURSING
NAGPUR.

General Conditions

The following general conditions shall apply:-

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Nagpur.
6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended.


 PRINCIPAL
 SURETECH COLLEGE OF NURSING
 NAGPUR.

14. You shall submit an official e-mail address and any change will be duly informed to the MPCB
15. You shall observe provisions of E-waste (Management) Rules 2016 & as amended time to time and Batteries (Management and Handling) Amendment Rules, 2010.
16. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
17. In case you use/ handle/ generate the cytotoxic waste you shall strictly adhere to the standards/ SOPs applicable and waste shall be labelled specifically as "Cytotoxic Waste" with symbol on waste containers/ bags and shall handover to BMW CTFs.
18. You shall obtain required permissions from competent authority for radio active material user/ handling/ disposal of waste before commencement of such activity.
19. The Energy source for lighting purpose shall preferably be LED based.
20. You shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
21. You shall provide personal protection equipment as per norms of Factory Act 1948
22. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 60 days of expiry.

This certificate is digitally & electronically signed.


PRINCIPAL
SURETECH COLLEGE OF NURSING
NAGPUR



DATTA MEGHE

INSTITUTE OF HIGHER
EDUCATION & RESEARCH
(DEEMED TO BE UNIVERSITY)

LEARN. LEAD.

Memorandum of Understanding

This Memorandum of Understanding (hereinafter referred to as MOU) is executed on this 03rd of the May 2023 by and between

DATTA MEGHE INSTITUTE OF HIGHER EDUCATION & RESEARCH (DEEMED TO BE UNIVERSITY) a Deemed to be University, Notified by the Ministry of Education (erstwhile MHRD) No: F.9-48/2004-U.3 dated 24 May 2005 & established under Section 3 of the University Grants Commission Act, 1956, having its office at Sawangi (Meghe), Wardha-442007, Maharashtra, represented through its **Registrar, Dr. Sweta Kale Pisulkar** (hereinafter referred to as the **"Party No. 1"**, which expression shall, unless it be repugnant to the context or meaning thereof, be deemed to mean and include all its successors, administrators and permitted assigns) **OF THE FIRST PART;**

And

SURETECH College of Nursing, Address: -Survey No 120/2K, Mouza-Jamtha, Wardha Road, P.O-Rui, NH 44, Nagpur Maharashtra- 441108, represented Mrs. Mercy Anjore, Principal Suretech college of Nursing, Nagpur & Mrs. Savita Dhoble, Vice Principle Suretech College of Nursing, Nagpur (hereinafter referred to as the **"Party No. 2"**, which expression shall, unless it be repugnant to the context or meaning thereof, be deemed to mean and include all its successors, administrators and permitted assigns) **OF THE Second PART;**

The **'DMIHER' 'SURETECH'** and are hereinafter referred individually as a **"Party"** and collectively referred to as **"Parties"**. The term organization and Institution referred to **'SURETECH' and DMIHER**. The words "the two institutions" and "collaborating institutions" in the Memorandum of Understanding refer to the **"Datta Meghe Institute of Higher education & Research (Deemed to be University),"** and **Suretech College of Nursing**
Preamble:

RECOGNISING the mutual interest in the fields of research & development, joint educational programs, training, capacity building, research and dissemination of knowledge and information on long term, on mutually agreed terms

• Formerly known as Datta Meghe Institute

of Medical Sciences (Deemed to be University)

• Conferred 'A' Grade status by H.B.D. Ministry Govt. of India

• Re-accredited by NAAC (3rd Cycle) with 'A+' Grade

Office: DMIHER (DU), Sawangi (Meghe), Wardha 442107 Maharashtra, India

P: 07152-287701-06 | E: info@dmimsu.edu.in

Office (Off Campus): Datta Meghe Medical College, Wanadongri,

Hingna Road, Nagpur 440010 Maharashtra, India

E: meghehealth@gmail.com

REGISTRAR
Datta Meghe Institute of Higher Education & Research (Deemed to be University)

Sawangi (Meghe), WARDHA-442 107 (M.S.)

Principal
Suretech College of Nursing
NAGPUR

www.dmimsu.edu.in



सत्यमेव जयते

Nursing Home Registration Certificate


Certificate of Registration under section 5 of the
Bombay Nursing Homes Registration (amendment) Act 2005
(Under Rule 5)

Registration No. : 03

Date of Registration : 1/04/2006

This is to certify that Shri/Smt. Dr. Chandrashekhar C. Mahalkar has been registered Under the Bombay Nursing Homes Registration (Amendment) act 2005 in respect of Acharya Vinoba Bhave Rural Hospital Situated at Sawangi (mezhe), Wardha and has Been authorized to carry on the said Nursing Home / Hospital.
maternity 150 Cots Other Nursing Patients
1375 Cots.

This Certificate is renewed up to 31 st March 2026


District Health Officer
Zilla Parishad, Wardha

*Received
5/4/2023*
Date of Issue of Certificate No 453-1/Dt. 5/04/2023


PRINCIPAL
SURETECH COLLEGE OF NURSING
NAGPUR



Government of Maharashtra
Public Health Department
CIVIL SURGEON,
GENERAL HOSPITAL NAGPUR

Certificate Of Registration

Under Section 5 of the
Bombay Nursing Home Registration Act 1949
(Extension of Provision)

FORM 'C' (Under Rule 5)

This is to certify that Shri/Smt/Hospital **Dr. Vasant Gawande** has been registered under the Bombay Nursing Home Registration Act 1949 in respect of name of Nursing Home **Shalinitai Meghe Hospital and Research Centre, Wanadongari, Tq. Hingna Dist: Nagpur - 441110** and has been authorized to carry on the said Nursing Home.

Registration No: 193/2024.

Maternity Cots: 120.

Date of registration: 18/04/2024.

Other Nursing Cots: 775.

This Certificate shall be valid up to **31st March 2027**.

Date of Issue: 28/05/2024.



[Signature]

Civil Surgeon
General Hospital, Nagpur.
CIVIL SURGEON
GENERAL HOSPITAL NAGPUR



[Signature]
received
[Signature]

64

31.5-721

2024

[Signature]
PRINCIPAL
SURETECH COLLEGE OF NURSING
NAGPUR.


ACHARYA VINOBA BHAVE RURAL HOSPITAL, SAWANGI (M)
BED STRENGTH & DISTRIBUTION

W. E. F. 16.12.2020

SR. NO.	DEPARTMENT	BEDS
1	TEACHING BEDS	
A	BROAD SPECIALITIES	
1	GENERAL MEDICINE	240
2	DVL (DERMATOLOGY)	40
3	PSYCHIATRY	40
4	RESPIRATORY MEDICINE	60
5	GENERAL SURGERY	240
6	ORTHOPAEDICS	150
7	OPHTHALMOLOGY	80
8	ENT	40
9	OBSTETRICS & GYNAECOLOGY	150
10	PAEDIATRICS	120
11	EMERGENCY MEDICINE	30
	TOTAL	1190
B	SUPER SPECIALITIES	
1	IR	20
2	CARDIOLOGY	20
3	NEURO-SURGERY	20
4	MEDICAL GASTROENTEROLOGY	20
5	CRITICAL CARE	20
6	NEONATOLOGY	20
7	NEUROLOGY	20
8	NEPHROLOGY	20
9	MEDICAL ONCOLOGY	20
10	SURGICAL ONCOLOGY	20
11	UROLOGY	20
		220
2	NON - TEACHING BEDS	
C	ICU BEDS	
1	MEDICINE ICU	11
2	PICU	10
3	SICU - I	7
4	SICU - II	15
5	NEURO ICU	15
6	RICU	5
7	OBG ICU	3
	TOTAL	66
D	OTHER BEDS	
1	BURN WARD	10
2	LABOUR ROOM	7
3	PRE LABOUR	3
4	ECLAMPSIA	2
5	ISOLATION	3
6	IVF LAB	2
	TOTAL	27
E	PRIVATE BEDS	22
	TOTAL BEDS	1525

65

Smt
PRINCIPAL
SURETECH COLLEGE OF NURSING
NAGPUR



महाराष्ट्र MAHARASHTRA

2022

NAGPUR TREASURY
34AA 949080
2 APR 2023
Stamp Head Clerk / S. G.

MEMORANDUM OF UNDERSTANDING

The Memorandum of Understanding is made in Nagpur on 13/06/2023 between Chairman Dnyanpath Bahu-Uddeshiya Shikshan Prasarak Mandal's, Suretech College of Nursing, Jamtha, Nagpur of the ONE PART

AND

NEW HEALTH CITY HOSPITAL, NAGPUR. These hospitals in Nagpur that offer healthcare services and have a dedicated team of specialists. OTHER PART

Whereas Suretech College of Nursing, Jamtha, Nagpur affiliated to Maharashtra University of Health Science, Nashik. Recognized by Indian Nursing Council, New Delhi and Maharashtra Nursing Council, Mumbai has asked for clinical training of its B.SC.(N), GNM, RANM and M.Sc. Nursing including their University/Board practical exam at NEW HEALTH CITY HOSPITAL, NAGPUR. throughout their academic session.



PRINCIPAL
SURETECH COLLEGE OF NURSING
NAGPUR.


AND

Whereas **NEW HEALTH CITY HOSPITAL, NAGPUR.** has expressed their consent and interest to permit for their clinical training including university practical exam at **NEW HEALTH CITY HOSPITAL, NAGPUR.** throughout their academic session.

The terms and conditions of agreement for permission will be as given below.


1. The agreement will be valid for the period of 5 (Five) Years from the date of agreement subject to renewal after every academic year.
2. The students will have to abide by the code of conduct of the hospital.
3. The students will be posted at the hospital with prior information to the hospital authority.
4. The college will utilize the hospital facility for clinical training of its students for throughout each academic year.
5. No patient details will be used for any other purpose other than academic use of students of the party No. 1 Institute.
6. The hospital reserve the right to discontinue any student and take disciplinary action as deemed fit for the action and misconduct performed during the course of training at **NEW HEALTH CITY HOSPITAL, NAGPUR.**
7. The clinical training in no way should harm any admitted patient or cause any discomfort of any nature to the patient.
8. The confidentiality of patients and patients right to be adhered to during the course of students training.
9. No financial transactions are allowed in the agreement


PRESIDENT
Dnyanesh Bahurudeshiya
Shikshan Prasarak Mandal
Jamtha, Nagpur


PRINCIPAL
SURETECH COLLEGE OF NURSING,
NAGPUR
Suretech College of Nursing
Nagpur.




PRINCIPAL
SURETECH COLLEGE OF NURSING
NAGPUR.


NEW HEALTH CITY HOSPITAL, NAGPUR.
NAGPUR



NAGPUR MUNICIPAL CORPORATION, NAGPUR

(HEALTH DEPARTMENT)



FORM-C

Certificate of Registration under Section 5 of Bombay Nursing Home Registration Act, 1949 (rule 5)

Nursing Home Registration Certificate

This is to certify that Shri/Smt. Dr. Yogesh G. Tembhekar (MBBS,MD) has been registered under the Bombay Nursing Home Registration Act 1949 in respect of New Health City Hospital & Research Center (Unit of HCH Paediatric and Neonatal Centre Pvt. Ltd.) situated at Panchvati, 5,6,7,8 Floors, Besides The Hitvada Press, Wardha Road, Dhantoli, Nagpur and has been authorized to carry on the said nursing home.

Registration No. : 1033

Date of Registration : 09/04/2021

Place : Nagpur

Date of issue of certificate : 01/04/2024

Maternity : 2

Other Nursing : 83

This certificate of registration shall be valid up to 31 Mar 2027.



D. D. S. Saldhar
Signature

Registering Authority
Medical Officer Health
Nagpur Municipal Corporation

This Certificate of Registration should be displayed at prominent place.
Application for renewal should be done in advance in the month of January.

R. R. 718
24/6/2024

[Signature]
MUNICIPAL
SURETECH COLLEGE OF NURSING

68

Received
09/04/2024
24/6/2024

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010437/24020781
Fax: 24024068/24023515
Website: <http://mpcb.gov.in>
Email: ps0@mpcb.gov.in



Kalpataru Point, 2nd and
4th floor, Opp. Cine Planet
Cinema, Near Sion Circle,
Sion (E), Mumbai-400022

ORANGE/M.S.I

Date: 06/09/2023

No:- Format1.0/PSO/UAN No.0000172097/CO/2309000380

To,
New Health City Hospital & Research Centre
(Unit of HCH Paediatric & Neonatal Centre Pvt.Ltd;)
Plot No.26/1, Panchavati, 5,6,7,8 Floors,Beside the
Hitvada Press,
Wardha Road, Dhantoli, Nagpur 440 013
Email:newhchnagpur@gmail.com
Contact No.:9860999812



Combined Consent to Operate and BMW Authorization (CCA) under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.

- Ref:**
1. Combine Consent and Bio-Medical Waste Authorization granted by the Board vide no. format1.0/PSO/UAN No.0000119589/CO/2205000193 dtd. 05.05.2022
 2. Your application for Combine Consent and Bio-Medical Waste Authorization dated 27/05/2023
 3. This office Email dtd. 03.08.2023
 4. SCN for refusal of application dtd. 22.08.2023
 5. Your Reply dtd. 29.08.2023 ; 05.09.2023 & email dtd. 02.09.2023.

After examining the proposal, The Maharashtra Pollution Control Board hereby renew Combined Consent and BMW Authorization to HCE under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedule(I-IV) and Annexure (I-II)** enclosed in this order.

1. This CCA shall be in force for a period From **09-04-2023** To **09-04-2027**
2. The capital investment of the HCF is **₹2820.85** Lakhs (As per C.A Certificate Submitted by HCF)
3. HCF Area: - Plot Area 1655.00 M² with Built-up area 1280.00 M².
4. **Activities Included**
 - a. Total Number of Beds : **85 Nos.** (As per BNH certificate no. 1033 valid upto 31-03-2024)
 - I. General Beds : **10 Nos**
 - II. ICCU/ICU Beds : **49 Nos**
 - III. Operation Theatre : **2 Nos**
 - IV. Maternity Beds : **2 Nos**
 - V. Other Beds : **22 Nos**

69

PRINCIPAL
SURETECH COLLEGE OF NURSING
NAGPUR

5. Conditions under the Water (P&CP) Act, 1974:-

1. Quantity of total water consumption shall not exceed 22 M³/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.
2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in **Annexure-I**
3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.

6. Conditions under the Air (P&CP) Act,1981:-

1. You shall use the fuel for DG set as specified in the **Annexure-II**.
2. You shall provide adequate emission control system to DG set as specified in **Annexure-II**.
3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per **Annexure-II**.

7. Conditions under Hazardous and Other Wastes(Management, Handling & Transboundary Movement) Rules, 2016 for treatment and disposal of hazardous waste:-

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.

Sr No	Type of Waste	HW Category no.	Quantity	UOM	Disposal
1	Biological Sludge		5	Kg/M	

8. Conditions under Solid Waste Management rules 2016

1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
2. You shall Not mix general solid waste with Bio Medical Waste.

9. Conditions under BMW Management rules, 2016 (As Amended):-

1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
2. You shall segregate and handover BMW to BMW T&D CTF **Superb Hygienic Disposals, Nagpur** Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on www.cpcb.nic.in along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" (www.cpcb.nic.in).


PRINCIPAL
SURYATECH COLLEGE OF NURSING

70

10. You shall not undertake Modifications/ Upgradation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.
11. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.
12. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.
13. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.
14. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.
15. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
16. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
17. You shall submit the bank guarantee of INR 1.00lakhs towards compliance of conditions as specified in Schedule III to The Regional Officer, MPCB, Nagpur within 30 days. Non submission of B.G. in specified time shall attract revocation of this CCA without further notice



Ranjana

Generated by PrintBlock
f0495991
104a7a5e
33d451a4
f1cd4dd5
6ff11693
a382e94e
2b40c703
d054ad34

Signed by: Dr.Vishwajeet Ramesh Thakur
Principal Scientific Officer
For and on behalf of
Maharashtra Pollution Control Board
pso@mpcb.gov.in
2023-09-06 14:44:50 IST

Received Consent/Authorization fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	375000.00	TXN2305004282	29/05/2023	Online Payment
2	30822.00	TXN2309000696	05/09/2023	Online Payment

Balance fees of Rs.2,25,000/- is with board & shall be considered for further renewal of CCA.

Copy to:

1. Regional Officer, MPCB, Nagpur and Sub-Regional Officer, MPCB, Nagpur I
- - You are directed to ensure the compliance of the consent conditions.
2. Cheif Accounts Officer, MPCB,Sion, Mumbai
3. I/C EIC- for record & website updating purpose.

Rajit
PRINCIPAL
SURETECH COLLEGE OF NURSING
NAGPUR.

71

Conditions under Water (P & CP), 1974 Act: (Refer Condition No. 5)

A. Water Consumption Details:-

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	20.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	2.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Other such as agriculture, gardening, etc.	0.00

B. Conditions for Sewage & Effluent Generation, Treatment and Disposal:-

Sr. No.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1	Domestic Sewage	18	As per clause 'C'	100% Recycle & treated sewage used for gardening & remaining send to local body sewer line.
2	Trade effluent	0.2	As per clause 'C'	100% Recycle

C. You shall operate the combined waste water treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle treated effluent after achieving standard prescribed below.

Sr. No.	Parameters	Discharge Standards applicable
		Limiting Concentration in mg/except for pH
1	pH	6.5-9.0
2	Oil & Grease	10
3	BOD (3 days 27°C)	30
4	COD	250
5	Total Suspended Solids	100
6	Bio-Assay Test	90 % survival of fish after 96 hours in 100 % effluent

- D. You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- E. You shall provide Primary/ Secondary/ tertiary treatment system and disinfection facility.
- F. The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.
- G. You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.


 PRINCIPAL
 SURETECH COLLEGE OF NURSING

72

Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)

1. You shall observe following fuel pattern and erect following stack (s):

Sr. No.	Stack Attached to	Fuel Type	Quantity	Stack Height (Mtr)
1	D G SET 250 KVA	Diesel	5.00 Lit/Day	5.00

2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).
4. Conditions for D.G. Set:-
- Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
 - Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - D.G. Set shall be operated only in case of power failure.
 - The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.
5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.


 PRINCIPAL
 SURETECH COLLEGE OF NURSING
 NAGPUR.

73

Authorization for Management of Bio-Medical Waste (Category and Quantity)

The authorization is granted for Generation and Segregation of BioMedical Waste (BMW) in waste categories and quantities listed here in below:

Sr. No	Category	Type of Waste	Quantity not to exceed (Kg/Month)	Segregation Colour coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	10.00	Yellow coloured non- chlorinated plastic bags.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygienic Disposals, Nagpur Nagpur
		b) Animal Anatomical Waste	0.00		
		c) Soiled Waste	70.00		
		d) Expired or Discarded Medicines	2.00		
		e) Chemical Waste	0.00	Separate collection system leading to effluent treatment system.	
		f) Chemical Liquid Waste	0.00		
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	20.00	Yellow coloured non - chlorinated plastic bags or suitable packing material.	
		h) Microbiology Biotechnology and other clinical laboratory waste	8.00	Autoclave safe plastic bags or containers.	Pre-treat to sterilize with nonchlorinated chemicals on-site as per National AIDS Control Organisation or World Health Organisation guidelines thereafter sent to BMW-CTF for Incineration.
2	Red	Contaminated waste (Recyclable)	30.00	Red coloured non chlorinated plastic bags or containers.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygienic Disposals, Nagpur Nagpur
3	White (Translucent)	Waste sharps including Metals	8.00	Puncture proof, Leak proof, tamper proof container.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygienic Disposals, Nagpur Nagpur
4	Blue	a) Glassware	7.00	Puncture proof, Leak proof with Blue coloured marking.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygienic Disposals, Nagpur Nagpur
		b) Metallic body implants	0.00		

[Signature]
 PRINCIPAL
 SURETECH COLLEGE OF NURSING
 NAGPUR.

74

Responsibilities of the Health Care Facility

1. You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical waste treatment and Disposal facility **Superb Hygienic Disposals, Nagpur** and maintain records thereof for 5 years.
2. You shall establish bar code for handling of bio-medical waste.
3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016
4. You shall not store Bio Medical waste beyond 48 hours from the generation.
5. You shall use only non-chlorinated plastic coloured bags.
6. You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
7. You shall not mix General/other Solid waste with Bio Medical Waste.
8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
9. You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
11. You shall handover Plastic / Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of bio-medical wastes.
18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Nagpur and uploading the same to MPCB Portal (<https://www.ecmpcb.in/>).


PRINCIPAL
SURETECH COLLEGE OF NURSING
NAGPUR

75

Bank Guarantees

1. Bank Guarantee imposed to ensure timely compliance, to be observed by operator.

Sr.No	Activity / Condition to be Complied	Compliance Timeline (Months)	Bank Guarantee Amount
1A	Operation and Maintenance		
1	To Segregate and Handle BMW as per Schedule I	Continuous	25,000.00
2	Towards Operation and Maintenance of STP/ETP to achieve prescribed discharge standards	Continuous	25,000.00
1B	Records		
1	To Maintain records of BMW and submission of Annual Report for preceding calendar year in Form -IV before 30th June every year	Continuous	15,000.00
2	To maintain records of BMW handed over to CBMWTF	Continuous	10,000.00
2	Performance		
1	To provide BMW separate storage facility as per guidelines of CPCB	Continuous	25,000.00
Total			1,00,000.00

Note: You shall extend the previously submitted Bank Guarantee valid upto the validity of this CCA + 4 months additional.


 PRINCIPAL
 SURETECH COLLEGE OF NURSING
 NAGPUR.

General Conditions

The following general conditions shall apply:-

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Nagpur.
6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage/plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended.

fstt
PRINCIPAL

SURETECH COLLEGE OF NURSING
NAGPUR

14. You shall submit an official e-mail address and any change will be duly informed to the MPCB.
15. You shall observe provisions of E-waste (Management) Rules 2016 & as amended time to time and Batteries (Management and Handling) Amendment Rules, 2010.
16. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
17. In case you use/ handle/ generate the cytotoxic waste you shall strictly adhere to the standards/ SOPs applicable and waste shall be labelled specifically as "Cytotoxic Waste" with symbol on waste containers/ bags and shall handover to BMW CTFs.
18. You shall obtain required permissions from competent authority for radio active material user/ handling/ disposal of waste before commencement of such activity.
19. The Energy source for lighting purpose shall preferably be LED based.
20. You shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
21. You shall provide personal protection equipment as per norms of Factory Act 1948
22. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 60 days of expiry.

This certificate is digitally & electronically signed.



pslt
PRINCIPAL
SURETECH COLLEGE OF NURSING
NAGPUR



Maharashtra Pollution Control Board
महाराष्ट्र प्रदूषण नियंत्रण बोर्ड

SUPERB HYGIENIC DISPOSALS

C/O Mr. Bande, 8A, Damodhar Colony,
Near Surendra Nagar Basketball Ground, NAGPUR - 440015
Phone No:9922941639
Email Id:info@superbgroup.in



SUPERB
HYGIENIC DISPOSALS

Unique Registration No.: NGHP0888



Registration Certificate



Outward No.: SHD/25-26/002241


Date: 03-Feb-2026

This is to certify that **NEW HEALTH CITY HOSPITAL & RESEARCH CENTER (A UNIT OF HCH PEDIATRIC & NEONATAL CENTER PVT. LTD.), PANCHWATI 5, 6, 7, 8 FLOORS, BESIDE THE HITWADA PRESS, WARDHA ROAD, DHANTOLI NAGPUR.-440015** is registered with SUPERB HYGIENIC DISPOSALS, NAGPUR for Management of Bio Medical Waste in accordance with, the provision of Bio Medical Waste Management Rules, 2016, as amended and in compliance with the provisions of CPCB guidelines.

1. Authorized Person of HCE (Name and Designation)	DR. YOGESH TEMBHEKAR, DR. ASHISH LOTHE, DR. SANDEEP YADAV, DR. ASHISH AKHUJ & DR. HARSHAL INGOLE, DR. CHANDRASHEKHAR FANDE DOCTOR
2. Bombay Nursing Home Act Registration Details	
a. BNH Registration Number	1033
b. BNH Issue Date	09-Apr-2021
c. Total Number of Beds	85
d. BNH Validity(Form 'C')	31-Mar-2027
3. Common Treatment Facility Registration Details	
a. Date of Registration	27-Mar-2021
b. No. of Beds Registered	85
c. Registration Validity	31-Dec-2026
4. Renewal of CTF Membership(if applicable)	
a. Renewal Date	31-Dec-2026
b. No. of Beds Registered	85
5. MPCB Consent (Establish/ 1 st Operate/Renewal) Details	
a. Consent/ CCA Number	UAN NO. 0000172097/CO/2309000380
b. Issue Date	06-Sep-2023
d. Validity up to	09-Apr-2027


PRINCIPAL

SURETECH COLLEGE OF NURSING
NAGPUR



For SUPERB HYGIENIC DISPOSALS

Note : HCE shall display copy of Registration Certificate at front Desk and Temporary BMW storage area.

C/o Mr. Bande, 8A, Damodhar Colony, Near Surendra Nagar Basketball Ground, Nagpur

Off : 99229 41639 | 96071 96669 | www.superbgroup.in | info@superbgroup.in



Date :02/05/2023

AFFILIATION LETTER

This affiliation letter agreement between Shrikrishna Hrudayalaya and Critical Care Centre, Nagpur and Suretech College of Nursing, Nagpur.

Shrikrishna Hrudayalaya and Critical Care Centre is 50 bedded Multispecialty hospital at Plot No-25, Tikekar Road, Congress Nagar Square, Dhantoli, Nagpur- 440012.

With reference to our discussion, Shrikrishna Hrudayalaya and Critical Care Centre, Nagpur agreed to affiliated Suretech College of Nursing, Nagpur and is permitted to undergo clinical experience in Shrikrishna Hrudayalaya and Critical Care Centre, Nagpur.

Thanking You

Gangadhar
Administrative Officer
Shrikrishna Hrudayalaya
& Critical Care Centre
Dhantoli, Nagpur-12.



Sttt
PRINCIPAL
SURETECH COLLEGE OF NURSING
NAGPUR.



महाराष्ट्र MAHARASHTRA

2022

NAGPUR TREASURY
34AA 778953

13 APR 2023

Stamp Head Clerk / Sr. Clerk

MEMORANDUM OF UNDERSTANDING

MOU

This MOU is between following two parties No. 1 and No. 2

1. DR. SHRIKANT DESHMUKH MANAS HOSPITAL,
AMRAVATI
2. SURETECH COLLEGE OF NURSING,
NAGPUR

Done On Date :- 08/06/2023

[Signature]
PRINCIPAL
SURETECH COLLEGE OF NURSING
NAGPUR

1. विद्यार्थीचे नाव ?
 2. शाळा/संस्थान ?
 3. शाळा/संस्थानाचा पत्ता ?
 4. शाळा/संस्थानाचा संचालक ?
 5. शाळा/संस्थानाचा संचालकाचा पत्ता ?
 6. शाळा/संस्थानाचा संचालकाचा संपर्क क्रमांक ?
 7. शाळा/संस्थानाचा संचालकाचा पद ?
 8. शाळा/संस्थानाचा संचालकाचा पद ?
 9. शाळा/संस्थानाचा संचालकाचा पद ?
 10. शाळा/संस्थानाचा संचालकाचा पद ?

748 दिनांक 17/14/2023

मंडळ विकास
 रजि. नं. 11/17/2023



This is been decided in joint meeting of Director/Chairman DR. SHRIKANT DESHMUKH MANAS HOSPITAL AMRAVATI and PRESIDENT / PRINCIPAL SURETECH COLLEGE OF NURSING, NAGPUR that the students of SURETECH COLLEGE OF NURSING, NAGPUR are granted permission of psychiatric experience in DR. SHRIKANT DESHMUKH MANAS HOSPITAL AMRAVATI utilizing their beds and patients for the clinical study as part of their curriculum. SURETECH COLLEGE OF NURSING, NAGPUR is affiliated to DR. SHRIKANT DESHMUKH MANAS HOSPITAL AMRAVATI which is 50 BEDDED. This applicable for 3 years with effect from ACADEMIC YEAR 2023 TO 2025.

PRESIDENT
 DBUSPM
 Dnyannath Bahu Uddeshiya
 Shikshan Prasarak Mandal
 Jamtha, Nagpur

PRINCIPAL
 SURETECH COLLEGE OF NURSING,
 NAGPUR
 Principal
 Suretech College of Nursing
 Nagpur.

PRINCIPAL
 SURETECH COLLEGE OF NURSING
 NAGPUR.

DR. SHRIKANT DESHMUKH MANAS HOSPITAL
 AMRAVATI
 Dr. Shrikant Deshmukh
 Reg.No.36101 MDDPM (Mumbai)
 PSYCHIATRIST
 Joglekar Plot, Congress Nagar Road,
 AMRAVATI (M.S.) 441001



MAHARASHTRA STATE MENTAL HEALTH AUTHORITY
(MSMHA)

Form-F

[See rule 66]

CERTIFICATE OF PERMANENT REGISTRATION OF MENTAL
HEALTH ESTABLISHMENT

The Maharashtra State Mental Health Authority, after considering the application under section 65 (2) or section 66 (3) or section 66(10) or section 66 (17) of the Mental Healthcare Act, 2017, hereby accords Permanent Registration to the applicant mental health establishment in terms of section 66 (4) or section 66 (11), or section (17) as per the details given hereunder:

Name: - Dr. Shrikant Deshmukh

Address: - Manas Clinic's Baba Punarvasan Kendra Congress Nagar Jogalekar
Plot Amravati


No of beds: - 100

Permanent Registration Certificate No.77/2023

The Permanent registration certificate No.77/2023 issued, is subject to the conditions laid down in the Mental Healthcare Act, 2017 and the rules and regulations made there under.

Place: Mumbai

Date: /01/2024


Registration Authority
(MSMHA)

Seal of the Registration Authority



AMRAVATI MUNICIPAL CORPORATION



FORM 'C'
(See Rule 5)

CERTIFICATE OF REGISTRATION UNDER SECTION 5 OF THE BOMBAY NURSING HOME REGISTRATION ACT, 1949

No. AMC/PHD/FW/NH/ 288/2023

This is to certify that Shri/Smt. Dr. Shrikant Babasaheb Deshmukh
has been registered under the Bombay Nursing Homes Registration Act, 1949 in
respect of Manas Clinic
situated at Joglekar Plot Congress Nagar Road Amravati
and has been authorised to carry on the said nursing home.

Registration No. 288

Bed : 015 Maternity : Nil other Nursing Patients : 015 (Total fifteen Bed)

Date of registration / Renewal 4-10-2023

Place Joglekar Plot Amravati

Date of Issue of Certificate : 17-10-2023

This Certificate of registration shall be valid upto 31 march. 2026


Municipal Corporation, Amravati.

ॐ महाराष्ट्री गुणः

अस्मिन् काले वैद्यके प्रत्यक्षतः संपादनीयं नवीनं होम
रि. अक्ट १९४९ च संशोधनं देशीयैः कालेन
सुखानुसारं प्रकृत्या प्रकृत्या मुदी अस्तु अस्यात्
कैरणी/मुदी अस्तु च कल्याणं अधिकारं सत्तु अस्तु
परतः प्रमाणं केवलं देत आहे.

सुचना : अग्निशामक व इलेक्ट्रीक ना हरकत प्रमाणपत्र मुदतीमध्ये नुतनीकरण करून घेणे बंधनकारक राहिले
अन्यथा Noc चे मुदती दिनांकासोबत या प्रमाणपत्राची वैधता संपुष्टाल येईल याची नोंद घ्यावी.

Wade
04/10/2023
Signature of the registering authority
&
Medical Officer of Health
Municipal Corporation, Amravati

P. S. T. T.
PRINCIPAL
SURETECH COLLEGE OF NURSING
NAGPUR.

Scanned with CamScanner

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 0721-2563593
Fax: 0721-2563597
Website: <http://mpcb.gov.in>
Email:
sroamravati1@mpcb.gov.in



Sahkar Surbhi Bapatwadi,
Near Vivekanand Colony,
Amravati- 444606

ORANGE/S.S.I

Date: 04/10/2024

No:- Format1.0/SRO/UAN No.0000215294/CO/2410000350

To,
Manas Hospital
Congress Nagar Road,
Joglekar Plot, Amravati,
Ta. & Dist. Amravati-444606
Email: drshrikant.deshmukh@gmail.com
Contact No.: 9823046036



Your Service is Our Duty

Combined Consent to 1st Operate and BMW Authorization (CCA) under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.

Ref: Your application for Combine Consent and Bio-Medical Waste Authorization granted by the Board vide no.MPCB-CONSENT-0000215294 dated 11/07/2024.

After examining the proposal, The Maharashtra Pollution Control Board hereby grant 1st operate Combined Consent and BMW Authorization to HCE under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedule(I-IV) and Annexure (I-II)** enclosed in this order.

1. This CCA shall be in force for a period From **30-06-2024** To **30-06-2026**
2. The capital investment of the HCF is **₹322.90** Lakhs (As per C.A Certificate Submitted by HCF)
3. HCF Area: - Plot Area 6758.00 M² with Built-up area 3000.00 M².
4. **Activities Included**
 - a. Total Number of Beds : **15 Nos.** (As per BNH certificate no. 288 valid upto 31-03-2026)
 - I. General Beds : **9 Nos**
 - II. Other Beds : **6 Nos**
5. **Conditions under the Water (P&CP) Act, 1974:-**
 1. Quantity of total water consumption shall not exceed 2 M³/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.
 2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in **Annexure-I**
 3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.
6. **Conditions under the Air (P&CP) Act,1981:-**

1. You shall use the fuel for DG set as specified in the **Annexure-II**.
2. You shall provide adequate emission control system to DG set as specified in **Annexure-II**.
3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per **Annexure-II**.

7. Conditions under Hazardous and Other Wastes(Management, Handling & Transboundary Movement) Rules, 2016 for treatment and disposal of hazardous waste:-

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.

Sr No	Type of Waste	HW Category no.	Quantity	UOM	Disposal
		NA			

8. Conditions under Solid Waste Management rules 2016

1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
2. You shall Not mix general solid waste with Bio Medical Waste.

9. Conditions under BMW Management rules, 2016 (As Amended):-

1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
 2. You shall segregate and handover BMW to BMW T&D CTF **Global Eco Save Systems, Amaravati** Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
 3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on www.cpcb.nic.in along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
 4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" (www.cpcb.nic.in).
10. You shall not undertake Modifications/ Upgradation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.
 11. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.
 12. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.
 13. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.
 14. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.

15. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
16. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
17. You shall submit the bank guarantee of INR 1.15 lakhs towards compliance of conditions as specified in Schedule III to The Regional Officer, MPCB, Amravati within 30 days. Non submission of B.G. in specified time shall attract revocation of this CCA without further notice

This consent is issued on the basis of information/documents submitted by the Applicant/Project Proponent, if it has been observed that the information submitted by the Applicant/Project Proponent is false, misleading or fraudulent, the Board reserves its right to revoke the consent & further legal action will be initiated against the Applicant/Project Proponent.



Sushilkumar Rathod

a8c10337
cce2e82f
81ed468a
7c1b798d
b51d588e
5995fad9
3e951c09
3e80dbe4

Signed by: Mr. Sushilkumar Rathod
Sub Regional Officer
For and on behalf of,
Maharashtra Pollution Control Board
sroamravati1@mpcb.gov.in
2024-10-04 11:33:46 IST

Received Consent/Authorization fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	15000.00	TXN2407002005	11/07/2024	Online Payment
2	226.00	TXN2409001278	10/09/2024	Online Payment

Copy to:

1. Regional Officer, MPCB, Amravati for information.
2. Cheif Accounts Officer, MPCB, Sion, Mumbai
3. I/C EIC- for record & website updating purpose.

Conditions under Water (P & CP), 1974 Act: (Refer Condition No. 5)

A. Water Consumption Details:-

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	2.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	0.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Other such as agriculture, gardening, etc.	0.00

B. Conditions for Sewage & Effluent Generation, Treatment and Disposal:-

Sr. No.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1	Domestic Sewage	1.5	As per clause 'C'	100% Recycle
2	Trade effluent	0	As per clause 'C'	100% Recycle

C. You shall operate the combined waste water treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle treated effluent after achieving standard prescribed below.

Sr. No.	Parameters	Discharge Standards applicable
		Limiting Concentration in mg/except for pH
1	pH	6.5-9.0
2	Oil & Grease	10
3	BOD (3 days 27°C)	30
4	COD	250
5	Total Suspended Solids	100
6	Bio-Assay Test	90 % survival of fish after 96 hours in 100 % effluent

- D. You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- E. You shall provide Primary/ Secondary/ tertiary treatment system and disinfection facility.
- F. The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.
- G. You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.
- H. All Health Care Facilities irrespective of the bed capacity shall install scientifically designed disinfection facilities before discharging the effluent into sewer line or reuse in the premises as stipulated under Schedule II (6) of Biomedical waste Management Rules, 2016.

Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)

1. You shall observe following fuel pattern and erect following stack (s):

Sr. No.	Stack Attached to	Fuel Type	Quantity	Stack Height (Mtr)
----------------	--------------------------	------------------	-----------------	---------------------------

2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).
4. Conditions for D.G. Set:-
- a. Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
 - b. Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - c. You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - d. Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - e. A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - f. D.G. Set shall be operated only in case of power failure.
 - g. The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - h. The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.
5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

SCHEDULE-I**Authorization for Management of Bio-Medical Waste (Category and Quantity)**

The authorization is granted for Generation and Segregation of BioMedical Waste (BMW) in waste categories and quantities listed here in below:

Sr. No	Category	Type of Waste	Quantity not to exceed (Kg/Month)	Segregation Colour coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	1.00	Yellow coloured non- chlorinated plastic bags.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Global Eco Save Systems, Amaravati Amaravati
		b) Animal Anatomical Waste	0.00		
		c) Soiled Waste	10.00		
		d) Expired or Discarded Medicines	5.50		
		e) Chemical Waste	8.50		
		f) Chemical Liquid Waste	20.00	Separate collection system leading to effluent treatment system.	
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	0.00	Yellow coloured non - chlorinated plastic bags or suitable packing material.	
		h) Microbiology Biotechnology and other clinical laboratory waste	0.00	Autoclave safe plastic bags or containers.	
2	Red	Contaminated waste (Recyclable)	1.00	Red coloured non chlorinated plastic bags or containers.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Global Eco Save Systems, Amaravati Amaravati
3	White (Translucent)	Waste sharps including Metals	2.50	Puncture proof, Leak proof, tamper proof container.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Global Eco Save Systems, Amaravati Amaravati
4	Blue	a) Glassware	0.00	Puncture proof, Leak proof with Blue coloured marking.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Global Eco Save Systems, Amaravati Amaravati
		b) Metallic body implants	0.00		

SCHEDULE-II**Responsibilities of HCF**

1. You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical waste treatment and Disposal facility **Global Eco Save Systems, Amaravati** and maintain records thereof for 5 years.

[Signature]

2. You shall establish bar code for handling of bio-medical waste.
3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016
4. You shall not store Bio Medical waste beyond 48 hours from the generation.
5. You shall use only non-chlorinated plastic coloured bags.
6. You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
7. You shall not mix General/other Solid waste with Bio Medical Waste.
8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
9. You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
11. You shall handover Plastic / Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of bio-medical wastes.
18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Amravati and uploading the same to MPCB Portal (<https://www.ecmpcb.in/>).

SCHEDULE-III

Bank Guarantees

1. Bank Guarantee imposed to ensure timely compliance, to be observed by operator.

Sr.No	Activity / Condition to be Complied	Compliance Timeline (Months)	Bank Guarantee Amount
1A	Operation and Maintenance		
1	To Segregate and Handle BMW as per Schedule I	Continuous	25,000.00
2	Provision of STP/ETP to achieve prescribed discharge standards	6 Months	50,000.00
1B	Records		
1	To Maintain records of BMW and submission of Annual Report for preceding calendar year in Form -IV before 30th June every year	Continuous	15,000.00
2	Performance		
1	To provide BMW separate storage facility as per guidelines of CPCB	Continuous	25,000.00
Total			1,15,000.00

Note: You shall extend the existing submitted Bank Guarantee for the Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional. Submit a fresh Bank Guarantee for the newly added Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional.

The above Bank Guarantee(s) shall be submitted by the applicant in favour of Regional Officer at the respective Regional Office within 15 days from the date of issue of Consent.

If the above Bank Guarantee is not submitted within stipulated period, then 12% interest will be levied as a penalty as per circular dtd 29/02/2024 No. BO/MPCB/AS(T)/Circular/B-240229FTS0122

SCHEDULE-IV

General Conditions

The following general conditions shall apply:-

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.

5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Amravati.
6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended.
14. You shall submit an official e-mail address and any change will be duly informed to the MPCB.
15. You shall observe provisions of E-waste (Management) Rules 2016 & as amended time to time and Batteries (Management and Handling) Amendment Rules, 2010.
16. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
17. In case you use/ handle/ generate the cytotoxic waste you shall strictly adhere to the standards/ SOPs applicable and waste shall be labelled specifically as "Cytotoxic Waste" with symbol on waste containers/ bags and shall handover to BMW CTFs.
18. You shall obtain required permissions from competent authority for radio active material user/ handling/ disposal of waste before commencement of such activity.
19. The Energy source for lighting purpose shall preferably be LED based.
20. You shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
21. You shall provide personal protection equipment as per norms of Factory Act 1948
22. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 60 days of expiry.

This certificate is digitally & electronically signed.



महाराष्ट्र MAHARASHTRA

© 2022 ©

NAGPUR TREASURY
52AA 821831

20 JUN 2023

MEMORANDUM OF UNDERSTANDING
(Academic year 2023-2024 TO 2027-2028)

The Memorandum of Understanding is made in Nagpur on August 2023 between Chairman of Suretech College of Nursing, Nagpur of the ONE PART

AND

COLOURS HOSPITAL, NAGPUR that offer healthcare services and have a dedicated team of specialists.

OTHER PART

Whereas Suretech College of Nursing, Jamtha, Nagpur is affiliated to Maharashtra University of Health Science, Nashik. Recognized by Indian Nursing Council, New Delhi and Maharashtra Nursing Council Mumbai has asked for clinical training of its B. Sc Nursing students & M.Sc. Nursing students, including their university practical exam at Colours Hospital, Nagpur throughout their academic session.

AND

Whereas Colours Hospital, Nagpur has expressed their consent and interest to permit for their clinical training including university practical exam at Colours Hospital, Nagpur throughout their academic session.



[Handwritten Signature]
PRINCIPAL
SURETECH COLLEGE OF NURSING
NAGPUR

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010437/24020781
Fax: 24024068/24023515
Website: <http://mpcb.gov.in>
Email: pspcb@mpcb.gov.in



Kalpataru Point, 2nd and
4th floor, Opp. Cine Planet
Cinema, Near Sion Circle,
Sion (E), Mumbai-400022

ORANGE/M.S.I

Date: 24/07/2023

No:- Format1.0/PSO/UAN No.0000171090/CO/2307001457

To,
COLOURS HOSPITAL (A UNIT OF VIDARBHA
INTENSIVIST AND
PEDIATRICIANS GROUP PRIVATE LIMITED)
plot no. 7 , Near Ajni Metro station, Ajni Square,
Nagpur-440022
Email: colours.ajni@gmail.com
Contact No.:9545557242



Your Service is Our Duty

Combined Consent to 1st Operate and BMW Authorization (CCA) under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.

- Ref:
1. Combine Consent and Bio-Medical Waste Authorization granted by the Board vide no. format 1.0/PSO/UAN No. 0000159593/CE/2302001938 dtd. 27.02.2023
 2. Your application for Combine Consent and Bio-Medical Waste Authorization dated 17/05/2023
 3. This office email dtd. 21.06.2023
 4. Your reply dtd. 28.06.2023 & 17.07.2023.

After examining the proposal, The Maharashtra Pollution Control Board hereby grant 1st operate Combined Consent and BMW Authorization to HCE under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedule(I-IV) and Annexure (I-II)** enclosed in this order.

1. This CCA shall be in force for a period From **18-07-2023 To 18-07-2025**
2. The capital investment of the HCF is **₹2672.67** Lakhs (As per C.A Certificate Submitted by HCF)
3. HCF Area: - Plot Area 809.00 M² with Built-up area 1628.00 M².
4. **Activities Included**
 - a. Total Number of Beds : **80 Nos.** (As per BNH certificate no. 1057 valid upto 31-03-2025)
 - I. General Beds : **19 Nos**
 - II. ICU/ICU Beds : **50 Nos**
 - III. Operation Theatre : **3 Nos**
 - IV. Maternity Beds : **6 Nos**
 - V. Oncology Beds : **2 Nos**

[Handwritten Signature]

PRINCIPAL

5. **Conditions under the Water (P&CP) Act, 1974:-**

1. Quantity of total water consumption shall not exceed 26.5 M³/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.
2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in **Annexure-I**
3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.

6. **Conditions under the Air (P&CP) Act,1981:-**

1. You shall use the fuel for DG set as specified in the **Annexure-II**.
2. You shall provide adequate emission control system to DG set as specified in **Annexure-II**.
3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per **Annexure-II**.

7. **Conditions under Hazardous and Other Wastes(Management, Handling & Transboundry Movement) Rules, 2016 for treatment and disposal of hazardous waste:-**

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.

Sr No	Type of Waste	HW Category no.	Quantity	UOM	Disposal
1	Biological Sludge		10	Kg/M	

8. **Conditions under Solid Waste Management rules 2016**

1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
2. You shall Not mix general solid waste with Bio Medical Waste.

9. **Conditions under BMW Management rules, 2016 (As Amended):-**

1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
 2. You shall segregate and handover BMW to BMW T&D CTF **Superb Hygienic Disposals, Nagpur** Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
 3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on www.cpcb.nic.in along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
 4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" (www.cpcb.nic.in).
10. You shall not undertake Modifications/ Upgradation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.

11. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.
12. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.
13. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.
14. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.
15. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
16. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
17. You shall submit the bank guarantee of Rs. 75,000/- towards compliance of conditions as specified in Schedule III to The Regional Officer, MPCB, Nagpur within 30 days. Non submission of B.G. in specified time shall attract revocation of this CCA without further notice



[Handwritten Signature]

0a52bc5a
b4212e06
c0d3f8ef
462be6f9
604f8d35
2d27eff7
7a59ebd0
058e8b9a

Signed by: Dr. Amar R. Supate
Principal Scientific Officer
For and on behalf of,
Maharashtra Pollution Control Board
psos@mpcb.gov.in
2023-07-24 14:53:30 IST

Received Consent/Authorization fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	100000.00	MPCB-DR-19163	21/05/2023	NEFT

Copy to:

1. Regional Officer, MPCB, Nagpur and Sub-Regional Officer, MPCB, Nagpur I
- - you are directed to ensure the compliance of the consent conditions.
2. Chief Accounts Officer, MPCB, Sion, Mumbai
3. I/C EIC- for record & website updating purpose.

[Handwritten Signature]
PRINCIPAL
SURETECH COLLEGE OF NURSING
NAGPUR



महाराष्ट्र MAHARASHTRA

2025

55AB 177102

09 JAN 2026

ATO Stamp Head Clerk / Clerk

MEMORANDUM OF UNDERSTANDING

The Memorandum of Understanding is made in Nagpur on 28/01/2026 between **Chairman Dnyanpath Bahu-Uddeshiya Shikshan Prasarak Mandal's, Suretech College of Nursing, Jamtha, Nagpur** of the ONE PART

AND

NELSON HOSPITAL, NAGPUR. These hospitals in Nagpur that offer healthcare services and have a dedicated team of specialists. OTHER PART

Whereas **Suretech College of Nursing, Jamtha, Nagpur** affiliated to Maharashtra University of Health Science, Nashik. Recognized by Indian Nursing Council, New Delhi and Maharashtra Nursing Council, Mumbai has asked for clinical training of its **B.B.SC.(N), GNM Nursing** including their university practical exam at **NELSON HOSPITAL, NAGPUR.** throughout their academic session.


AND

Whereas **NELSON HOSPITAL, NAGPUR.** has expressed their consent and interest to permit for their clinical training including university practical exam at **NELSON HOSPITAL, NAGPUR.** throughout their academic session.


The terms and conditions of agreement for permission will be as given below.

1. The agreement will be valid for the period of 2 (Two) Years from the date of agreement subject to renewal after every academic year.
2. The students will have to abide by the code of conduct of the hospital.
3. The students will be posted at the hospital with prior information to the hospital authority.
4. The college will utilize the hospital facility for clinical training of its students for throughout each academic year.

[Signature]
PRINCIPAL
SURETECH COLLEGE OF NURSING
NAGPUR.


मुद्रांक विक्री नोंदवही अ. क्र.	६४/२४	दिनांक	12/01/2026
दस्ताचा प्रकार	AFFIDAVIT		
दस्त नोंदनी करणार आहेत काय?			
मुद्रांक विकत घेणाऱ्याचे नाव व पत्ता	SURETECH COLLEGE OF NURSING, JAMTHA		
हस्ते असल्याचे नाव पत्ता व सही	PRAMOD SHAMBHARKAR		
दुसऱ्या पक्षकाराचे नाव			
मुद्रांक शुल्क रक्कम	१००/-		
परवाना क्र. 01/2020 Code No. 4601120	सही 	परवाना धारकाचे नाव इंडियन ग्रॅडव्होकेटस् मल्टी स्टेट मल्टी पर्पज को-ग्रॉपरेटीव्ह सोसायटी लिमिटेड	
पत्ता - जिल्हा व सत्र न्यायालय परिसर, नागपुर			
ज्या कारणासाठी ज्यांनी मुद्रांक खरेदी केला त्यांनी त्याच कारणासाठी मुद्रांक खरेदी केल्यापासून सहा महिन्यात वापरणे बंधनकारक आहे.			


- The **NELSON HOSPITAL, NAGPUR** hospital reserve the right to discontinue any student and take disciplinary action as deemed fit for the action and misconduct performed during the course of training at **NELSON HOSPITAL, NAGPUR**.
- The clinical training in no way should harm any admitted patient or cause any discomfort of any nature to the patient.
- The confidentiality of patients and patients right to be adhered to during the course of students training.
- Per student charges will be 1,000/- Rs. per student Applicable throughout the posting.


PRESIDENT
DBUSPMS

SURETECH COLLEGE OF NURSING,
NAGPUR

PRESIDENT
Dnyanpath Banu-Uddeshiya
Shashan Prasarak Mandal
Jamtha, Nagpur


CHAIRMAN/DIRECTOR
NELSON HOSPITAL,
NAGPUR


PRINCIPAL

SURETECH COLLEGE OF NURSING,
NAGPUR

PRINCIPAL
SURETECH COLLEGE OF NURSING
NAGPUR




PRINCIPAL
SURETECH COLLEGE OF NURSING
NAGPUR

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010437/24020781
Fax: 24024068/24023515
Website: <http://mpcb.gov.in>
Email: ps0@mpcb.gov.in



Kalpataru Point, 2nd, 3rd
and 4th floor, Opp. Cine
Planet Cinema, Near Sion
Circle, Sion (E),
Mumbai-400022

ORANGE/M.S.I

Date: 19/07/2024

No:- Format1.0/PSO/UAN No.0000194895/CO/2407001908

To,
NELSON HOSPITAL (A UNIT OF SMD HOSPITALS PVT
LTD)
PLOT NO - 32, DHANTOLI,
NAGPUR-440012
Email: admnnelson@gmail.com
Contact No.:7507701177



Your Service is Our Duty

Renewal of Combined Consent to Operate and BMW Authorization (CCA) under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.

- Ref: 1. Combined Consent and Bio-Medical Waste Authorization granted by the Board vide no.Format1.0/PSO/UAN No.0000130520/CR/2209000122 dated 02.09.2022
2. Your application for Combine Consent and Bio-Medical Waste Authorization dated 25/01/2024

After examining the proposal, The Maharashtra Pollution Control Board hereby renew Combined Consent to Operate and BMW Authorization to HCE under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedule(I-IV) and Annexure (I-II)** enclosed in this order.

1. This CCA shall be in force for a period From **01-04-2024** To **31-03-2026**
2. The capital investment of the HCF is **₹374.00** Lakhs (As per C.A Certificate Submitted by HCF)
3. HCF Area: - Plot Area 9926.00 M² with Built-up area 3587.00 M².
4. **Activities Included**
 - a. Total Number of Beds : **100 Nos.** (As per BNH certificate no. 995 valid upto 31-03-2024)
 - I. Maternity Beds : **13 Nos**
 - II. Other Beds : **87 Nos**

PRINCIPAL
SURETECH COLLEGE OF NURSING

5. Conditions under the Water (P&CP) Act, 1974:-

1. Quantity of total water consumption shall not exceed 50 M³/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.
2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in **Annexure-I**
3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.

6. Conditions under the Air (P&CP) Act,1981:-

1. You shall use the fuel for DG set as specified in the **Annexure-II**.
2. You shall provide adequate emission control system to DG set as specified in **Annexure-II**.
3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per **Annexure-II**.

7. Conditions under Hazardous and Other Wastes(Management, Handling & Transboundry Movement) Rules, 2016 for treatment and disposal of hazardous waste:-

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.

Sr No	Type of Waste	HW Category no.	Quantity	UOM	Disposal
		NA			

8. Conditions under Solid Waste Management rules 2016

1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
2. You shall Not mix general solid waste with Bio Medical Waste.

9. Conditions under BMW Management rules, 2016 (As Amended):-

1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
 2. You shall segregate and handover BMW to BMW T&D CTF **Superb Hygienic Disposals, Nagpur** Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
 3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on www.cpcb.nic.in along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
 4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" (www.cpcb.nic.in).
- 10.** You shall not undertake Modifications/ Upgradation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.

11. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.
12. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.
13. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.
14. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.
15. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
16. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
17. You shall submit the bank guarantee of INR 1.5 lakh towards compliance of conditions as specified in Schedule III to The Regional Officer, MPCB, Nagpur within 30 days. Non submission of B.G. in specified time shall attract revocation of this CCA without further notice

This consent is issued on the basis of information/documents submitted by the Applicant/Project Proponent, if it has been observed that the information submitted by the Applicant/Project Proponent is false, misleading or fraudulent, the Board reserves its right to revoke the consent & further legal action will be initiated against the Applicant/Project Proponent.



Ranjan



generated by eSignBlock
d6a2148d
4cb430b8
0d37d0b6
e927c489
7b5fcb88
5dd56da5
0936433c
06baa6d2

Signed by: Dr.Vishwajeet Ramesh Thakur
Principal Scientific Officer
For and on behalf of,
Maharashtra Pollution Control Board
pso@mpcb.gov.in
2024-07-19 12:13:22 IST

Received Consent/Authorization fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	75000.00	MPCB-DR-24000	25/01/2024	NEFT
2	25000.00	MPCB-DR-24955	01/03/2024	NEFT
3	165000.00	MPCB-DR-27193	07/06/2024	RTGS

Copy to:

1. Regional Officer, MPCB, Nagpur and Sub-Regional Officer, MPCB, Nagpur I
- - They are directed to ensure the compliance of the consent conditions.
2. Chief Accounts Officer, MPCB, Sion, Mumbai
3. I/C EIC- for record & website updating purpose.

Ranjan
PRINCIPAL
SURETECH COLLEGE OF NURSING
NAGPUR

Conditions under Water (P & CP), 1974 Act: (Refer Condition No. 5)

A. Water Consumption Details:-

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	23.00
2.	Domestic purpose	23.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	4.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Other such as agriculture, gardening, etc.	0.00

B. Conditions for Sewage & Effluent Generation, Treatment and Disposal:-

Sr. No.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1	Domestic Sewage	20	As per clause 'C'	On land for gardening
2	Trade effluent	3	As per clause 'C'	On land for gardening

C. You shall operate the combined waste water treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle treated effluent after achieving standard prescribed below.

Sr. No.	Parameters	Discharge Standards applicable
		Limiting Concentration in mg/except for pH
1	pH	6.5-9.0
2	Oil & Grease	10
3	BOD (3 days 27°C)	30
4	COD	250
5	Total Suspended Solids	100
6	Bio-Assay Test	90 % survival of fish after 96 hours in 100 % effluent

D. You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.

E. You shall provide Primary/ Secondary/ tertiary treatment system and disinfection facility.

F. The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.

G. You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.

H. All Health Care Facilities irrespective of the bed capacity shall install scientifically designed disinfection facilities before discharging the effluent into sewer line or reuse in the premises as stipulated under Schedule II (6) of Biomedical waste Management Rules, 2016.

Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)

1. You shall observe following fuel pattern and erect following stack (s):

Sr. No.	Stack Attached to	Fuel Type	Quantity	Stack Height (Mtr)
1	DG set 500 KVA	HSD	25.00 Ltr/Hr	10.00

2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).
4. Conditions for D.G. Set:-
- Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
 - Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - D.G. Set shall be operated only in case of power failure.
 - The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.
5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

[Signature]
 PRINCIPAL
 SURETECH COLLEGE OF NURSING
 NAGPUR

SCHEDULE-I**Authorization for Management of Bio-Medical Waste (Category and Quantity)**

The authorization is granted for Generation and Segregation of BioMedical Waste (BMW) in waste categories and quantities listed here in below:

Sr. No	Category	Type of Waste	Quantity not to exceed (Kg/Month)	Segregation Colour coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	20.00	Yellow coloured non- chlorinated plastic bags.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygienic Disposals, Nagpur Nagpur
		b) Animal Anatomical Waste	0.00		
		c) Soiled Waste	215.00		
		d) Expired or Discarded Medicines	0.00		
		e) Chemical Waste	110.00		
		f) Chemical Liquid Waste	0.00	Separate collection system leading to effluent treatment system.	
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	2.00	Yellow coloured non - chlorinated plastic bags or suitable packing material.	
		h) Microbiology Biotechnology and other clinical laboratory waste	25.00	Autoclave safe plastic bags or containers.	
2	Red	Contaminated waste (Recyclable)	1.00	Red coloured non chlorinated plastic bags or containers.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygienic Disposals, Nagpur Nagpur
3	White (Translucent)	Waste sharps including Metals	30.00	Puncture proof, Leak proof, tamper proof container.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygienic Disposals, Nagpur Nagpur
4	Blue	a) Glassware	1.00	Puncture proof, Leak proof with Blue coloured marking.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygienic Disposals, Nagpur Nagpur
		b) Metallic body implants	1.00		

[Signature]
PRINCIPAL
SURETECH COLLEGE OF NURSING
NAGPUR

Responsibilities of HCF

1. You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical waste treatment and Disposal facility **Superb Hygienic Disposals, Nagpur** and maintain records thereof for 5 years.
2. You shall establish bar code for handling of bio-medical waste.
3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016
4. You shall not store Bio Medical waste beyond 48 hours from the generation.
5. You shall use only non-chlorinated plastic coloured bags.
6. You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
7. You shall not mix General/other Solid waste with Bio Medical Waste.
8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
9. You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
11. You shall handover Plastic / Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of bio-medical wastes.
18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Nagpur and uploading the same to MPCB Portal (<https://www.ecmpcb.in/>).

Bank Guarantees

1. Bank Guarantee imposed to ensure timely compliance, to be observed by operator.

Sr.No	Activity / Condition to be Complied	Compliance Timeline (Months)	Bank Guarantee Amount
1A	Operation and Maintenance		
1	To Segregate and Handle BMW as per Schedule I	Continuous	50,000.00
2	Towards Operation and Maintenance of STP/ETP to achieve prescribed discharge standards	Continuous	50,000.00
1B	Records		
1	To Maintain records of BMW and submission of Annual Report for preceding calendar year in Form -IV before 30th June every year	Continuous	25,000.00
2	To maintain records of BMW handed over to CBMWTDF	Continuous	25,000.00
Total			1,50,000.00

Note: You shall extend the existing submitted Bank Guarantee for the Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional. Submit a fresh Bank Guarantee for the newly added Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional.


PRINCIPAL
SURETECH COLLEGE OF NURSING
NAGPUR

General Conditions


The following general conditions shall apply:-

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Nagpur.
6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended.


PRINCIPAL
JYOTIBA COLLEGE OF NURSING
NAGPUR.

14. You shall submit an official e-mail address and any change will be duly informed to the MPCB.
15. You shall observe provisions of E-waste (Management) Rules 2016 & as amended time to time and Batteries (Management and Handling) Amendment Rules, 2010.
16. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
17. In case you use/ handle/ generate the cytotoxic waste you shall strictly adhere to the standards/ SOPs applicable and waste shall be labelled specifically as "Cytotoxic Waste" with symbol on waste containers/ bags and shall handover to BMW CTFs.
18. You shall obtain required permissions from competent authority for radio active material user/ handling/ disposal of waste before commencement of such activity.
19. The Energy source for lighting purpose shall preferably be LED based.
20. You shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
21. You shall provide personal protection equipment as per norms of Factory Act 1948
22. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 60 days of expiry.

This certificate is digitally & electronically signed.



Shobte
PRINCIPAL
SURETECH COLLEGE OF NURSING
NAGPUR.



महाराष्ट्र MAHARASHTRA

© 2022 ©

NAGPUR TREASURY
49AA 058038
27 OCT 2023
Stamp Head Clerk / Sr. Clerk

MEMORANDUM OF UNDERSTANDING

The Memorandum of Understanding is made in Nagpur on 03/02/2024 between **Chairman Dnyanpath Bahu-Uddeshiya Shikshan Prasarak Mandal's, Suretech College of Nursing, Jamtha, Nagpur** of the ONE PART

AND

MATRU SEWA SANGH, SITABULDI, MATERNITY HOME, NAGPUR. These hospitals in Nagpur that offer healthcare services and have a dedicated team of specialists. OTHER PART

Whereas **Suretech College of Nursing, Jamtha, Nagpur** affiliated to Maharashtra University of Health Science, Nashik. Recognized by Indian Nursing Council, New Delhi and Maharashtra Nursing Council, Mumbai has asked for clinical training of its Nursing students including their University/Board practical exam at **MATRU SEWA SANGH, SITABULDI, MATERNITY HOME, NAGPUR.** throughout their academic session.


PRINCIPAL
SURETECH COLLEGE OF NURSING
NAGPUR

१) मुद्रांक त्रुटि का प्रकार	36019	दिनांक	02 NOV 2023
२) त्रुटि का प्रकार	६		
३) दुरुस्त होना संभव है या नहीं ?	होय/नाही		
४) गिरफ्तारी के कारण का वर्णन			
५) मुद्रांक मित्रता योजना के तहत या नहीं	मुद्रांक मित्रता योजना के तहत		
६) हस्ताक्षरकर्ता का नाम, पता व सही	सही		
७) दुरुस्त पत्रकारिता का नाम			
८) मुद्रांक शुल्क रक्कम	100/-		
साक्षरता रजि. पंजीयन	मुद्रांक मित्रता, जा.क्र. १६/८९, फोड क्र. ४६०५०४९ जिल्हाधिकारी कार्यालय, न. कार्यालय, नागपूर (शहर)		
ज्या कारणसाठी ज्यांनी मुद्रांक खरेदी केला त्यांनी त्याच कारणासाठी मुद्रांक खरेदी केल्यापासून इ. अतिरिक्त वापराची हमीकारक आहे.			

[Handwritten Signature]


PRINCIPAL
SURETECH COLLEGE OF NURSING
NAGPUR

AND

Whereas MATRU SEWA SANGH, SITABULDI, MATERNITY HOME, NAGPUR. has expressed their consent and interest to permit for their clinical training including university practical exam at MATRU SEWA SANGH, SITABULDI, MATERNITY HOME, NAGPUR. throughout their academic session.


The terms and conditions of agreement for permission will be as given below.

1. The agreement will be valid for the period of 3 (Three) Years from the date of agreement subject to renewal after every academic year.
2. The students will have to abide by the code of conduct of the hospital.
3. The students will be posted at the hospital with prior information to the hospital authority.
4. The college will utilize the hospital facility for clinical training of its students for throughout each academic year.
5. No patient details will be used for any other purpose other than academic use of students of the party No. 1 Institute.
6. The hospital reserve the right to discontinue any student and take disciplinary action as deemed fit for the action and misconduct performed during the course of training at MATRU SEWA SANGH, SITABULDI, MATERNITY HOME, NAGPUR.
7. The clinical training in no way should harm any admitted patient or cause any discomfort of any nature to the patient.
8. The confidentiality of patients and patients right to be adhered to during the course of students training.
9. No financial transactions are allowed in the agreement


PRESIDENT
DBUSPMS

SURETECH COLLEGE OF NURSING,
NAGPUR

Dnyanpath Bahu-Uddeshiya
Shikshan Prasarak Mandal
Jamtha, Nagpur


PRINCIPAL

SURETECH COLLEGE OF NURSING,
NAGPUR


Principal
Suretech College of Nursing
Nagpur.


SECRETARY

MATRU SEWA SANGH
SITABULDI, MATERNITY HOME,
NAGPUR

सचिव

मातृ सेवा संघ
सिताबुर्डी नागपूर


PRINCIPAL
SURETECH COLLEGE OF NURSING
NAGPUR.

NAGPUR MUNICIPAL CORPORATION, NAGPUR

(HEALTH DEPARTMENT)



FORM-C

Certificate of Registration under Section 5 of Bombay Nursing Home
Registration Act, 1949 (rule 5)

Nursing Home Registration Certificate

This is to certify that Shri/Smt. DR LATA M. DESHMUKH (SECRETARY) has been registered under the Bombay Nursing Home Registration Act 1949 in respect of MATRU SEWA SANGH situated at NORTH AMBAZARI ROAD SITABULDI NAGPUR and has been authorized to carry on the said nursing home.

Registration No. : 185

Date of Registration : 11/02/1991

Place : Nagpur

Date of issue of certificate : 01/04/2024

Maternity : 25

Other Nursing : 5

This certificate of registration shall be valid up to 31 Mar 2027.



Delohar
Dr. D-S-Selokar
Signature

Registering Authority
Medical Officer Health
Nagpur Municipal Corporation

This Certificate of Registration should be displayed at prominent place.
Application for renewal should be done in advance in the month of January.

Pratt
PRINCIPAL
SURETECH COLLEGE OF NURSING
NAGPUR

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 0712 - 2565308
Fax: 0712 - 2560851
Website: <http://mpcb.gov.in>
Email: ronagpur@mpcb.gov.in



Udyog Bhavan , 5th floor ,
Near Sales Tax Office, Civil
Line , Nagpur - 440 001

ORANGE/
No:- Format1.0/RO/UAN No.0000198778/CO/2403002400

Date: 22/03/2024

To,
M/s. MATRU SEWA SANGH
NORTH AMBAZARI ROAD SITABULDI NAGPUR, Nagpur
(M Corp.), Nagpur-440010
Email: matrusewa@yahoo.com
Contact No.: 9422146467



Your Service is Our Duty

Combined Consent to 1st Operate and BMW Authorization (CCA) under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.

Ref: Bio-Medical Waste Authorization granted by the Board vide no. MPC/NRO/BMW UAN No. 13612//1807000178 dtd 13/07/2018.

After examining the proposal, The Maharashtra Pollution Control Board hereby grant 1st operate Combined Consent and BMW Authorization to HCE under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedule(I-IV) and Annexure (I-II)** enclosed in this order.

1. The consent is granted for a period up to :- 28/02/2026.
2. The capital investment of the HCF is ₹111.22 Lakhs (As per C.A Certificate Submitted by HCF)
3. HCF Area: - Plot Area 12099.29 M² with Built-up area 7868.49 M².
4. **Activities Included**
 - a. Total Number of Beds : **30 Nos.**
 - I. Maternity Beds : **15 Nos**
 - II. Other Beds : **15 Nos**
5. **Conditions under the Water (P&CP) Act, 1974:-**
 1. Quantity of total water consumption shall not exceed 12 M³/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.
 2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in **Annexure-I**
 3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.

6. Conditions under the Air (P&CP) Act,1981:-

1. You shall use the fuel for DG set as specified in the **Annexure-II**.
2. You shall provide adequate emission control system to DG set as specified in **Annexure-II**.
3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per **Annexure-II**.

7. Conditions under Hazardous and Other Wastes(Management, Handling & Transboundry Movement) Rules, 2016 for treatment and disposal of hazardous waste:-

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.

Sr No	Type of Waste	HW Category no.	Quantity	UOM	Disposal
1		0	As per Actual	--NA--	NA

8. Conditions under Solid Waste Management rules 2016

1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
2. You shall Not mix general solid waste with Bio Medical Waste.

9. Conditions under BMW Management rules, 2016 (As Amended):-

1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
 2. You shall segregate and handover BMW to BMW T&D CTF **Superb Hygienic Disposals, Nagpur** Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
 3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on www.cpcb.nic.in along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
 4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" (www.cpcb.nic.in).
- 10.** You shall not undertake Modifications/ Upgradation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.
- 11.** Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.
- 12.** You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.
- 13.** This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.

14. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.
15. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
16. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
17. You shall submit the bank guarantee of INR 1.50 lakhs towards compliance of conditions as specified in Schedule III to The Regional Officer, MPCB, Nagpur within 30 days. Non submission of B.G. in specified time shall attract revocation of this CCA without further notice



Generated By Print2Block
 f710e895
 2c0b9ab1
 1373c687
 11fe4740
 ea03ecb4
 427e7907
 4c437c85
 de8c0f2e

Signed by: Hema Deshpande
 Regional Officer
 For and on behalf of,
Maharashtra Pollution Control Board
 ronagpur@mpcb.gov.in
 2024-03-22 17:00:12 IST

Received Consent/Authorization fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	30000.00	TXN2402004724	22/02/2024	Online Payment
2	29383.00	TXN2402005827	27/02/2024	Online Payment

Copy to:

1. Regional Officer, MPCB, Nagpur and Sub-Regional Officer, MPCB, Nagpur I
2. Cheif Accounts Officer, MPCB,Sion, Mumbai
3. I/C EIC- for record & website updating purpose.

PRINCIPAL
SURETECH COLLEGE OF NURSING
NAGPUR

Conditions under Water (P & CP), 1974 Act: (Refer Condition No. 5)

A. Water Consumption Details:-

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	10.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	2.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Other such as agriculture, gardening, etc.	0.00

B. Conditions for Sewage & Effluent Generation, Treatment and Disposal:-

Sr. No.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1	Domestic Sewage	5.0	As per clause 'C'	Septic Tank soak pit.
2	Trade effluent	1.0	As per clause 'C'	On land for guarding of Hospital Premises.

- C. You shall operate the combined waste water treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle treated effluent after achieving standard prescribed below.

Sr. No.	Parameters	Discharge Standards applicable
		Limiting Concentration in mg/except for pH
1	pH	6.5-9.0
2	Oil & Grease	10
3	BOD (3 days 27°C)	30
4	COD	250
5	Total Suspended Solids	100
6	Bio-Assay Test	90 % survival of fish after 96 hours in 100 % effluent

- D. You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- E. You shall provide Primary/ Secondary/ tertiary treatment system and disinfection facility.
- F. The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.
- G. You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.


 PRINCIPAL
 SURETECH COLLEGE OF NURSING

Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)

1. You shall observe following fuel pattern and erect following stack (s):

Sr. No.	Stack Attached to	Fuel Type	Quantity	Stack Height (Mtr)
---------	-------------------	-----------	----------	--------------------

2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).
4. Conditions for D.G. Set:-
- Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
 - Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - D.G. Set shall be operated only in case of power failure.
 - The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.
5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

Stt
 (PRINCIPAL)
 SURETECH COLLEGE OF NURSING
 NAGPUR.

SCHEDULE-I**Authorization for Management of Bio-Medical Waste (Category and Quantity)**

The authorization is granted for Generation and Segregation of BioMedical Waste (BMW) in waste categories and quantities listed here in below:

Sr. No	Category	Type of Waste	Quantity not to exceed (Kg/Month)	Segregation Colour coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	16.00	Yellow coloured non- chlorinated plastic bags.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygienic Disposals, Nagpur Nagpur
		b) Animal Anatomical Waste	0.00		
		c) Soiled Waste	100.00		
		d) Expired or Discarded Medicines	3.00		
		e) Chemical Waste	70.00		
		f) Chemical Liquid Waste	0.00	Separate collection system leading to effluent treatment system.	
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	0.00	Yellow coloured non - chlorinated plastic bags or suitable packing material.	
		h) Microbiology Biotechnology and other clinical laboratory waste	25.00	Autoclave safe plastic bags or containers.	
2	Red	Contaminated waste (Recyclable)	1.00	Red coloured non chlorinated plastic bags or containers.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygienic Disposals, Nagpur Nagpur
3	White (Translucent)	Waste sharps including Metals	30.00	Puncture proof, Leak proof, tamper proof container.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygienic Disposals, Nagpur Nagpur
4	Blue	a) Glassware	1.00	Puncture proof, Leak proof with Blue coloured marking.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygienic Disposals, Nagpur Nagpur
		b) Metallic body implants	1.00		

PRINCIPAL

SURETECH COLLEGE OF NURSING
NAGPUR

149 120

Responsibilities of CBWTF

1. You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical waste treatment and Disposal facility **Superb Hygienic Disposals, Nagpur** and maintain records thereof for 5 years.
2. You shall establish bar code for handling of bio-medical waste.
3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016
4. You shall not store Bio Medical waste beyond 48 hours from the generation.
5. You shall use only non-chlorinated plastic coloured bags.
6. You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
7. You shall not mix General/other Solid waste with Bio Medical Waste.
8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
9. You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
11. You shall handover Plastic / Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of bio-medical wastes.
18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Nagpur and uploading the same to MPCB Portal (<https://www.ecmpcb.in/>).

Bank Guarantees

1. Bank Guarantee imposed to ensure timely compliance, to be observed by operator.

Sr.No	Activity / Condition to be Complied	Compliance Timeline (Months)	Bank Guarantee Amount
1A Operation and Maintenance			
1	To Segregate and Handle BMW as per Schedule I	Continuous	15,000.00
2	Towards Operation and Maintenance of STP/ETP to achieve prescribed discharge standards	Continuous	10,000.00
1B Records			
1	To Maintain records of BMW and submission of Annual Report for preceding calendar year in Form -IV before 30th June every year	Continuous	15,000.00
2	To maintain records of BMW handed over to CBMWTDF	Continuous	10,000.00
2 Performance			
1	To provide BMW separate storage facility as per guidelines of CPCB	Continuous	50,000.00
2	O & M of Effluent Treatment Plant	Continuous	50,000.00
Total			1,50,000.00

Note: You shall extend the existing submitted Bank Guarantee for the Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional. Submit a fresh Bank Guarantee for the newly added Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional.


PRINCIPAL
SURETECH COLLEGE OF NURSING
NAGPUR

122

General Conditions

The following general conditions shall apply:-

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Nagpur.
6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage/plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended.

Skell
PRINCIPAL


14. You shall submit an official e-mail address and any change will be duly informed to the MPCB.
15. You shall observe provisions of E-waste (Management) Rules 2016 & as amended time to time and Batteries (Management and Handling) Amendment Rules, 2010.
16. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
17. In case you use/ handle/ generate the cytotoxic waste you shall strictly adhere to the standards/ SOPs applicable and waste shall be labelled specifically as "Cytotoxic Waste" with symbol on waste containers/ bags and shall handover to BMW CTFs.
18. You shall obtain required permissions from competent authority for radio active material user/ handling/ disposal of waste before commencement of such activity.
19. The Energy source for lighting purpose shall preferably be LED based.
20. You shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
21. You shall provide personal protection equipment as per norms of Factory Act 1948
22. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 60 days of expiry.

This certificate is digitally & electronically signed.


PRINCIPAL
SURETECH COLLEGE OF NURSING
NAGPUR



124



महाराष्ट्र MAHARASHTRA

2025

50AB 459260

29 AUG 2025

MEMORANDUM OF UNDERSTANDING

Stamp Head Clerk/Sr. Clerk

The Memorandum of Understanding is made in Nagpur on 23/09/2025 between Chairman Dnyanpath Bahu-Uddeshiya Shikshan Prasarak Mandal's, Suretech College of Nursing, Jamtha, Nagpur of the ONE PART

AND

SWAMI VIVEKANAND MEDICAL MISSION, KHAPRI NAGPUR. These hospitals in Nagpur that offer healthcare services and have a dedicated team of specialists. OTHER PART

Whereas Suretech College of Nursing, Jamtha, Nagpur affiliated to Maharashtra University of Health Science, Nashik. Recognized by Indian Nursing Council, New Delhi and Maharashtra Nursing Council, Mumbai has asked for clinical training of its B.B.SC.(N), GNM Nursing including their university practical exam at SWAMI VIVEKANAND MEDICAL MISSION, KHAPRI NAGPUR throughout their academic session.

AND

Whereas SWAMI VIVEKANAND MEDICAL MISSION, KHAPRI NAGPUR has expressed their consent and interest to permit for their clinical training including university practical exam at SWAMI VIVEKANAND MEDICAL MISSION, KHAPRI NAGPUR throughout their academic session.

The terms and conditions of agreement for permission will be as given below.

1. The agreement will be valid for the period of 3 (Three) Years from the date of agreement subject to renewal after every academic year.
2. The students will have to abide by the code of conduct of the hospital.
3. The students will be posted at the hospital with prior information to the hospital authority.
4. The college will utilize the hospital facility for clinical training of its students for throughout each academic year.


Principal
SURETECH COLLEGE OF NURSING
NAGPUR


125

12 SEP 2025


मुद्रांक विक्री नोंदवही अ. क्र.	37286	दिनांक	12/09/2025
दस्ताचा प्रकार	Affidavit		
मुद्रांक विकत घेणाऱ्याचे नाव व पत्ता	Suretech college of nursing		
हस्ते असल्याचे नाव पत्ता व सही	Pramod shambharkar		
दुसऱ्या पक्षकाराचे नाव			
मुद्रांक शुल्क रक्कम	₹००/-		
परवाना क्र. 01/2020 Code No. 4601120	सही	परवाना धारकाचे नाव इंडियन अॅडव्होकेटस् मल्टी स्टेट मल्टी पर्पज को-ऑपरेटिव्ह सोसायटी लिमिटेड	
पत्ता - जिळहा व सत्र न्यायालय परिसर, नागपुर			
ज्या कारणासाठी ज्यांनी मुद्रांक खरेदी केला त्यांनी त्याच कारणासाठी मुद्रांक खरेदी केल्यापासुन सहा महीन्यात वापरने बंधनकारक आहे.			

- No patient details will be used for any other purpose other than academic use of students of the party No. 1 Institute.
- The SVMM hospital reserve the right to discontinue any student and take disciplinary action as deemed fit for the action and misconduct performed during the course of training at **SWAMI VIVEKANAND MEDICAL MISSION, KHAPRI NAGPUR**
- The clinical training in no way should harm any admitted patient or cause any discomfort of any nature to the patient.
- The confidentiality of patients and patients right to be adhered to during the course of students training.
- Per student charges will be 500/- Rs.per student Applicable throughout the posting.


PRESIDENT
DBUSPMS
SURETECH COLLEGE OF NURSING,
NAGPUR


PRINCIPAL
SURETECH COLLEGE OF NURSING,
NAGPUR
PRINCIPAL
SURETECH COLLEGE OF NURSING
NAGPUR


PRINCIPAL
SURETECH COLLEGE OF NURSING
NAGPUR


MEDICAL SUPERINTENDENT
CHAIRMAN/DIRECTOR
SWAMI-VIVEKANAND MEDICAL
MISSION, KHAPRI NAGPUR
Dr. Meena Khalatkar
Medical Suprintendant
SVMM, Khapri, Nagpur

126

PUBLIC HEALTH DEPARTMENT
ZILLA PARISHAD, NAGPUR

Certificate of Registration

Under Section 5 of the
Bombay Nursing Homes Registration Act, 1949
(Extension of Provision)

FORM 'C' (Under Rule 5)

This is to verify that Shri/Smt. Hosp. Dr. Meenas
Kharatkar, Nagpur has been registered under the
Bombay Nursing Homes Registration Act, 1949 in respect of Name of Nursing
Home Swami virekanand Medical mission
Situating at Khapri, parsodi, wardha Road, TA. Nagpur
and has been authorized to carry on the said Nursing Home.

Registration No. : 02 Maternity Thirteen Cots 13
Date of Registration 18.4.23 Other Nursing Patients Eighty Cots 84
-Seven

This certificate shall be valid upto to 31st March 2028
Date of Issue: 23.7.2025

153
22/9/25

Recd

20/9/25

PRINCIPAL
JYOTTECH COLLEGE OF NURSING
NAGPUR.

[Signature]
District Health Officer
Zilla Parishad, Nagpur
Zilla Parishad, Nagpur.



महाराष्ट्र MAHARASHTRA

© 2023 ©

NAGPUR TREASURY
98AA 605268
21 MAY 2024
Stamp Head Clerk/Sr. Clerk

MEMORANDUM OF UNDERSTANDING

The Memorandum of Understanding is made in Nagpur on 5/12/2022 between **Chairman Dnyanpath Bahu-Uddeshiya Shikshan Prasarak Mandal's, Suretech College of Nursing, Jamtha, Nagpur** of the ONE PART

AND

TREAT ME HOSPITAL, NAGPUR. These hospitals in Nagpur that offer healthcare services and have a dedicated team of specialists. OTHER PART

Whereas **Suretech College of Nursing, Jamtha, Nagpur** affiliated to Maharashtra University of Health Science, Nashik. Recognized by Indian Nursing Council, New Delhi and Maharashtra Nursing Council, Mumbai has asked for clinical training of its **B.SC.(N), GNM, RANM and M.Sc. Nursing** including their University/Board practical exam at **TREAT ME HOSPITAL, NAGPUR.** throughout their academic session.


PRINCIPAL
SURETECH COLLEGE OF NURSING
NAGPUR

1) मुद्रांक दिवशी नोंद घेई असु अ.	8543	28 MAY 2024
2) दस्तावेज प्रकार	अपिल	
3) तयार नसलेली कोटेशन आदेश कायदा		
4) शिक्कावर्गीत ओटोडव्हास वर्ग		
5) मुद्रांक विभाग सेपाव्याचे कायदा नं.	2019 2 4	मि. 65, 316, जयपूर 511451
6) मुदत असाव्याची व्याख्या नसत असल्याने		
7) कृतीचा पत्रकाराचे नाव		जय
8) मुद्रांक शुल्क रक्कम	100	
विलीप अ. गावडे	मुद्रांक विभाग, मा. अ. 5/84/192	
	शिक्कावर्गीत परिषद, जयपूर	
ज्या कायदासाठी ज्यांना मुद्रांक शुल्काची जबाबदारी असते त्यांना मुद्रांक शुल्क देण्याची सूचना देण्यात येते.		
खारेची कोटेशनपासुन 6 महिन्यांत दोपार येईल असेल असेल.		



 PRINCIPAL
 SURETECH COLLEGE OF NURSING
 NAGPUR.


AND


Whereas **TREAT ME HOSPITAL, NAGPUR.** has expressed their consent and interest to permit for their clinical training including university practical exam at **TREAT ME HOSPITAL, NAGPUR.** throughout their academic session.

The terms and conditions of agreement for permission will be as given below.


1. The agreement will be valid for the period of 5 (Five) Years from the date of agreement subject to renewal after every academic year.
2. The students will have to abide by the code of conduct of the hospital.
3. The students will be posted at the hospital with prior information to the hospital authority.
4. The college will utilize the hospital facility for clinical training of its students for throughout each academic year.
5. No patient details will be used for any other purpose other than academic use of students of the party No. 1 Institute.
6. The hospital reserve the right to discontinue any student and take disciplinary action as deemed fit for the action and misconduct performed during the course of training at **TREAT ME HOSPITAL, NAGPUR.**
7. The clinical training in no way should harm any admitted patient or cause any discomfort of any nature to the patient.
8. The confidentiality of patients and patients right to be adhered to during the course of students training.
9. No financial transactions are allowed in the agreement


PRESIDENT
DBUSPMS
SURETECH COLLEGE OF NURSING,
NAGPUR
Dnyanpawani-Uddeshiya
Shikshan Prasarak Mandal
Jamtha, Nagpur


PRINCIPAL
SURETECH COLLEGE OF NURSING,
NAGPUR
Principal
Suretech College of Nursing
Nagpur


TREAT ME HOSPITAL, NAGPUR,
NAGPUR




PRINCIPAL
SURETECH COLLEGE OF NURSING
NAGPUR

NAGPUR MUNICIPAL CORPORATION, NAGPUR

(HEALTH DEPARTMENT)



FORM-C

Certificate of Registration under Section 5 of Bombay Nursing Home
Registration Act, 1949 (rule 5)

Nursing Home Registration Certificate

This is to certify that Shri/Smt. Dr. Priti V. Bhute (MBBS, DPM) has been registered under the Bombay Nursing Home Registration Act 1949 in respect of Treat Me Hospital situated at 7, Hindustan Colony, Wardha Road, Nagpur and has been authorized to carry on the said nursing home.

Registration No. : 602

Date of Registration : 08/05/2003

Place : Nagpur

Date of issue of certificate : 01/04/2024

Maternity : 5

Other Nursing : 45

This certificate of registration shall be valid up to 31 Mar 2027.



Dr. D. S. Selokar
Signature

Registering Authority
Medical Officer Health
Nagpur Municipal Corporation

Dr. P. V. Bhute
PRINCIPAL

SURETECH COLLEGE OF NURSING
NAGPUR

This Certificate of Registration should be displayed at prominent place.
Application for renewal should be done in advance in the month of January.

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 0712 - 2565308
Fax: 0712 - 2560851
Website: <http://mpcb.gov.in>
Email: ronagpur@mpcb.gov.in



Udyog Bhavan , 5th floor ,
Near Sales Tax Office, Civil
Line , Nagpur - 440 001

ORANGE/S.S.I
No:- Format1.0/RO/UAN No.MPCB-
CONSENT-0000247539/CO/2507001476

Date:
11/07/2025

To,
M/s. Treat Me Hospital
Plot No 7, Hindustan Colony, Wardha Road, Nagpur,
Dist-Nagpur.
Email:treatmehospital@gmail.com
Contact No.:7066044420



Combined Consent to 1st Operate and BMW Authorization (CCA) under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.

Ref: CCA vide no. RO/UAN No.MPCB-CONSENT-0000173714/CO/2311000019 dtd 01/11/2023.

After examining the proposal, The Maharashtra Pollution Control Board hereby grant 1st operate Combined Consent and BMW Authorization to HCE under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedule(I-IV) and Annexure (I-II)** enclosed in this order.

1. The consent is granted for a period up to :- 31/08/2029.
2. The capital investment of the HCF is **₹6.7837** Lakhs (As per C.A Certificate Submitted by HCF)
3. HCF Area HCF Area : - Plot Area 592.70 M² with Built-up area 590.25 M².
4. **Activities Included**
 - a. Total Number of Beds : **50 Nos.** (As per BNH certificate no. NMC 602 valid upto 31-03-2027)
5. **Conditions under the Water (P&CP) Act, 1974:-**
 1. Quantity of total water consumption shall not exceed 4 M³/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.
 2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in **Annexure-I**
 3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.

6. Conditions under the Air (P&CP) Act,1981:-

1. You shall use the fuel for DG set as specified in the **Annexure-II**.
2. You shall provide adequate emission control system to DG set as specified in **Annexure-II**.
3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per **Annexure-II**.

7. Conditions under Hazardous and Other Wastes(Management, Handling & Transboundary Movement) Rules, 2016 for treatment and disposal of hazardous waste:-

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.

Sr No	Type of Waste	HW Category no.	Quantity	UOM	Disposal
NA					

8. Conditions under Solid Waste Management rules 2016

1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
2. You shall Not mix general solid waste with Bio Medical Waste.

9. Conditions under BMW Management rules, 2016 (As Amended):-

1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
 2. You shall segregate and handover BMW to BMW T&D CTF **Superb Hygienic Disposals, Nagpur** Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
 3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on www.cpcb.nic.in along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
 4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" (www.cpcb.nic.in).
- 10.** You shall not undertake Modifications/ Upgradation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.
- 11.** Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.
- 12.** You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.


PRINCIPAL

13. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.
14. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.
15. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
16. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
17. You shall submit the bank guarantee of INR 1.50 lakhs towards compliance of conditions as specified in Schedule III to The Regional Officer, MPCB, Nagpur within 30 days. Non submission of B.G. in specified time shall attract revocation of this CCA without further notice

This consent is issued on the basis of information/documents submitted by the Applicant/Project Proponent, if it has been observed that the information submitted by the Applicant/Project Proponent is false, misleading or fraudulent, the Board reserves its right to revoke the consent & further legal action will be initiated against the Applicant/Project Proponent.



Generated by eSign@MPCB
 8085add4
 ad1151b3
 a2aeac4e
 01bf2d70
 f64e1dfa
 90153e5a
 55101cab
 b53b14cc

Signed by: Hema Deshpande
 Regional Officer
 For and on behalf of
Maharashtra Pollution Control Board
 ronagpur@mpcb.gov.in
 2025-07-11 16:17:32 IST

Received Consent/Authorization fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	0.00		17/05/2025	Online Payment

Earlier CCA balance fees UAN No. 173714 of Rs. 25000/- is consider for Renewal of CCA and balance CCA Fees of Rs. 15000/- will be consider in during next renewal.

Copy to:

1. Regional Officer, MPCB, Nagpur and Sub-Regional Officer, MPCB, Nagpur I
2. Cheif Accounts Officer, MPCB,Sion, Mumbai
3. I/C EIC- for record & website updating purpose.

Stt
 PRINCIPAL
 SURETECH COLLEGE OF NURSING
 NAGPUR

Conditions under Water (P & CP), 1974 Act: (Refer Condition No. 5)

A. Water Consumption Details:-

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	2.00
3.	Pathology Laboratory, Floor washing, Operation Theater	2.00
4.	Laundry	0.00
5.	Other such as agriculture, gardening, etc.	0.00

B. Conditions for Sewage & Effluent Generation, Treatment and Disposal:-

Sr. No.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1	Domestic Sewage	1	As per clause 'C'	Public sewers
2	Trade effluent	1	As per clause 'C'	Public sewers

C. You shall operate the combined waste water treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle treated effluent after achieving standard prescribed below.

Sr. No.	Parameters	Standards for discharge in Public sewers
1	pH Value	5.5-9.0
2	Suspended Solid mg/l	600
3	Oil and Grease mg/l	20
4	BOD mg/l	350
5	COD mg/l	Not applicable
6	Bio-Assay Test	90 % survival of fish after 96 hours in 100 % effluent

- D. You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- E. You shall provide Primary/ Secondary/ tertiary treatment system and disinfection facility.
- F. The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.
- G. You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.
- H. All Health Care Facilities irrespective of the bed capacity shall install scientifically designed disinfection facilities before discharging the effluent into sewer line or reuse in the premises as stipulated under Schedule II (6) of Biomedical waste Management Rules, 2016.


 PRINCIPAL
 SURETECH COLLEGE OF NURSING
 NAGPUR

135

Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)

1. You shall observe following fuel pattern and erect following stack (s):

Sr. No.	Stack Attached to	Fuel Type	Quantity	Stack Height (Mtr)
---------	-------------------	-----------	----------	--------------------

2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).
4. Conditions for D.G. Set:-
- Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
 - Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - D.G. Set shall be operated only in case of power failure.
 - The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.
5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.


 PRINCIPAL
 SURETECH COLLEGE OF NURSING
 NAGPUR

SCHEDULE-I**Authorization for Management of Bio-Medical Waste (Category and Quantity)**

The authorization is granted for Generation and Segregation of BioMedical Waste (BMW) in waste categories and quantities listed here in below:

Sr. No	Category	Type of Waste	Quantity not to exceed (Kg/Month)	Segregation Colour coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	2.00	Yellow coloured non- chlorinated plastic bags.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygienic Disposals, Nagpur Nagpur
		b) Animal Anatomical Waste	0.00		
		c) Soiled Waste	80.00		
		d) Expired or Discarded Medicines	2.00		
		e) Chemical Waste	70.00		
		f) Chemical Liquid Waste	0.00	Separate collection system leading to effluent treatment system.	
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	0.00	Yellow coloured non - chlorinated plastic bags or suitable packing material.	
		h) Microbiology Biotechnology and other clinical laboratory waste	3.00	Autoclave safe plastic bags or containers.	
2	Red	Contaminated waste (Recyclable)	1.00	Red coloured non chlorinated plastic bags or containers.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygienic Disposals, Nagpur Nagpur
3	White (Translucent)	Waste sharps including Metals	20.00	Puncture proof, Leak proof, tamper proof container.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygienic Disposals, Nagpur Nagpur
4	Blue	a) Glassware	1.00	Puncture proof, Leak proof with Blue coloured marking.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygienic Disposals, Nagpur Nagpur
		b) Metallic body implants	1.00		

[Signature]
PRINCIPAL
SURETECH COLLEGE OF NURSING
 Treat Me Hospital/CO/UAN No.MPCB-CONSENT-0000247539/Indus-Id.17367 (11-07-2025 04:17:12 pm)
 /QMS:PO6_F02/00

137

Responsibilities of HCF

1. You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical waste treatment and Disposal facility **Superb Hygienic Disposals, Nagpur** and maintain records thereof for 5 years.
2. You shall establish bar code for handling of bio-medical waste.
3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016
4. You shall not store Bio Medical waste beyond 48 hours from the generation.
5. You shall use only non-chlorinated plastic coloured bags.
6. You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
7. You shall not mix General/other Solid waste with Bio Medical Waste.
8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
9. You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
11. You shall handover Plastic / Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of bio-medical wastes.
18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Nagpur and uploading the same to MPCB Portal (<https://www.ecmpcb.in/>).

[Signature]
PRINCIPAL
SURETECH COLLEGE OF NURSING
NAGPUR

Bank Guarantees

1. Bank Guarantee imposed to ensure timely compliance, to be observed by operator.

Sr.No	Activity / Condition to be Complied	Compliance Timeline (Months)	Bank Guarantee Amount
1A Operation and Maintenance			
1	To Segregate and Handle BMW as per Rule	Continuous	25,000.00
2	Towards Operation and Maintenance of STP/ETP to achieve prescribed discharge standards	Continuous	25,000.00
1B Records			
1	To Maintain records of BMW and submission of Annual Report in Form -II before 31st January	Continuous	15,000.00
2	To maintain records of BMW material delivered to CBMWTSDF	Continuous	10,000.00
2 Performance			
1	To provide BMW separate storage facility as per guidelines of CPCB	Six	25,000.00
2	Effluent treatment plant not provided / need up gradation	Six	50,000.00
Total			1,50,000.00

Note: You shall extend the existing submitted Bank Guarantee for the Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional. Submit a fresh Bank Guarantee for the newly added Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional.

The above Bank Guarantee(s) shall be submitted by the applicant in favour of Regional Officer at the respective Regional Office within 15 days from the date of issue of Consent.

If the above Bank Guarantee is not submitted within stipulated period, then 12% interest will be levied as a penalty as per circular dtd 29/02/2024 No. BO/MPCB/AS(T)/Circular/B-240229FTS0122



PRINCIPAL
SHRI TECH COLLEGE OF NURSING
NAGPUR

139

General Conditions

The following general conditions shall apply:-

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Nagpur.
6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended.

stt
PRINCIPAL
SURETECH COLLEGE OF NURSING
NAGPUR

14. You shall submit an official e-mail address and any change will be duly informed to the MPCB.
15. You shall observe provisions of E-waste (Management) Rules 2016 & as amended time to time and Batteries (Management and Handling) Amendment Rules, 2010.
16. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
17. In case you use/ handle/ generate the cytotoxic waste you shall strictly adhere to the standards/ SOPs applicable and waste shall be labelled specifically as "Cytotoxic Waste" with symbol on waste containers/ bags and shall handover to BMW CTFs.
18. You shall obtain required permissions from competent authority for radio active material user/ handling/ disposal of waste before commencement of such activity.
19. The Energy source for lighting purpose shall preferably be LED based.
20. You shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
21. You shall provide personal protection equipment as per norms of Factory Act 1948
22. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 60 days of expiry.

[Handwritten signature]

This certificate is digitally & electronically signed.

PRINCIPAL
SURETECH COLLEGE OF MEDICINE
NAGPUR



141



कार्यालय नागपूर महानगरपालिका, नागपूर आरोग्य विभाग

छत्रपती शिवाजी महाराज प्रशासकीय इमारत, 5 वा माळा,
महानगरपालिका मार्ग, सिव्हील लाईन्स, नागपूर-440001
Email : homnmc.ngp@gmail.com



क्रमांक : आ.वि./ 3643 /वै.आ.अ./2025
दिनांक : 25/08/2025

प्रति,

प्राचार्य,
शुअरटेक कॉलेज ऑफ नर्सिंग,
120/2k, अशोकवन, नॅशनल हायवे नं.7,
वर्धा रोड, पोस्ट रुई, नागपूर

विषय : शहरी प्रात्यक्षिक अनुभवाकरीता महानगरपालिका क्षेत्रात शैक्षणिक वर्ष 2025-26 करीता प्रशिक्षणार्थीना परवानगीबाबत.

संदर्भ : या विभागास प्राप्त आपले कार्यालयीन पत्र क्र. SCON/B.Sc.(N)/789/2025, दि. 14/08/2025.

उपरोक्त विषयाच्या अनुषंगाने आपले संस्थेच्या M.SC/B.Sc Nursing/GNM/RANM Nursing परिचारिका प्रशिक्षणार्थी यांचे शैक्षणिक वर्ष 2025-26 करीता शहरी प्रात्यक्षिक अनुभवासाठी परवानगीची मागणी केलेली आहे. उपरोक्त मागणी प्रमाणे नमुद तक्त्यात दर्शविलेल्या प्राथमिक आरोग्य केंद्रालगत असलेल्या महानगरपालिका क्षेत्रात सदर प्रशिक्षणार्थीना खालील अटीवर परवानगी देण्यात येते.

- शासनाद्वारे तसेच मनपा प्रशासनाद्वारे वेळोवेळी जाहीर होणारे साथरोग सर्वेक्षण व अन्य आरोग्य विषयक राष्ट्रीय कार्यक्रम राबविण्याकरीता प्रशिक्षणार्थीना झोनल वैद्यकीय अधिकारी/क्षेत्रीय वैद्यकीय अधिकारी यांचे सूचनेप्रमाणे आशा वर्कर सोबत संबंधीत कार्यक्षेत्रात सर्वेक्षणाचे काम जबाबदारीपूर्वक पार पाडणे बंधनकारक राहिल.
- क्षेत्रीय अनुभवाकरीता प्रशिक्षणार्थी यांना प्रशिक्षण स्थळावर उपस्थिती तथा त्यांची सर्वतोपरी सुरक्षेची जोखिम आपले शैक्षणिक संस्थेची राहिल.
- प्रशिक्षण कालावधीत प्रशिक्षणार्थीना मनपा प्रशासनाद्वारे कुठलीही प्रत्यक्ष किंवा अप्रत्यक्ष वैद्यकीय मदत/ साहित्य तसेच कुठलेही अनुदान मिळणार नाही.

प्रशिक्षणार्थी	सर्वेक्षणाकरीता अनुज्ञेय नागरी क्षेत्र
M.Sc Nursing परिचारिका	सोनेगाव व चिंचभुवन प्रा. नागरी आरोग्य केंद्र व लगतचा परिसर
B.Sc Nursing परिचारिका	सोमलवाडा व खामला प्रा. नागरी आरोग्य केंद्र व लगतचा परिसर
GNM Nursing परिचारिका	मानेवाडा, जयताळा व बाभुळखेडा प्रा. नागरी आरोग्य केंद्र व लगतचा परिसर
RANM Nursing परिचारिका	जयताळा व मानेवाडा प्रा. नागरी आरोग्य केंद्र व लगतचा परिसर

श्री. 143
गु/ग/ह

PRINCIPAL
SURETECH COLLEGE OF NURSING

(डॉ. दीपक सेलोकर)
वैद्यकीय आरोग्य अधिकारी,
महानगरपालिका, नागपूर

पुनः अग्रोषित : प्रशिक्षणार्थी यांचे कडुम अंक्रमांक 1 मध्ये नमुद सर्वेक्षण विषयक कामकाज करुन घ्यावे.

- संबंधीत झोनल वैद्यकीय अधिकारी, यांचे माहिती व कार्यवाहीकरीता
- इंचार्ज वैद्यकीय अधिकारी, सोनेगाव/चिंचभुवन प्रा. नागरी आरोग्य केंद्र यांचे माहिती व कार्यवाहीकरीता
- इंचार्ज वैद्यकीय अधिकारी, सोमलवाडा/खामला प्रा. नागरी आरोग्य केंद्र यांचे माहिती व कार्यवाहीकरीता
- इंचार्ज वैद्यकीय अधिकारी, मानेवाडा/जयताळा/बाभुळखेडा प्रा. नागरी आरोग्य केंद्र यांचे माहिती व कार्यवाहीकरीता